November 21, 2018 Kentucky Waterfowl Ground Counts

This is the winter waterfowl ground count for November 19-21, 2018. Many areas did not have the opportunity to survey this week, as we are still a little early in the season. Also, due to staff being away for the Thanksgiving holiday, this report may be delayed in getting online.

If the current weather conditions hold, we can anticipate an exciting opener! Cold and Snow in the Northern states has started many ducks this way. The early flush of teal and pintails has quickly turned into mallards and various diving duck species. Unfortunately, weather models are predicting that the early cold will give way to the same mild and dry conditions that we experienced last winter. Let's all hope those predictions are wrong!

After one of the wettest summers on record, Kentucky waterfowl hunters can expect favorable water conditions for hunting this year. Most of the states wetlands are in above average condition. Moist soil plants look great across the state. Crops favored well in most places, although many areas struggled to get corn planted. Overall, conditions for ducks are good, and we are set to manage as needed throughout the season.

Location	Number	Species Composition	Comments
Ballard WMA	14,745 Ducks 35 CA geese 3,500 WF geese	96% Mallard, 2% Gadwall, 2% GW Teal, wood duck, wigeon, shoveler, ring-neck, goldeneye, hooded merg and black duck.	Habitat conditions look great. There is an abundance of moist soil vegetation and grain. Winter wheat is up and growing in most units that we planted.
Boatwright WMA	5,545 Ducks 71 CA geese	99% Mallard, 1% Wood duck, GW teal and black duck.	Some minor river flooding is occurring around the Swan Lake area. There is an abundance of grain and moist soil habitat available.
Birdsville Island	Not surveyed		
Kentucky/Barkley Lakes	Not surveyed		
Duck Island	3,210 Ducks 275 CA geese	Mallards – 2700, GWT – 250, Pintail – 75, Gadwall – 125, Ringneck – 60, Wigeon – 90	Habitat is excellent. Milo planted this year did well, and moist soil vegetation is excellent. Fall rains have resulted in pool

			Ţ
			levels a bit higher than
			optimal for this time of
			year, but water is
			available for management
	242	-0/-0 !! !!	of all impoundments.
Barren River Lake WMA	340 ducks	50/50 small divers and	Peters Creek MSU 60%
	20 CA geese	mallards. A few wood ducks	full, Long Creek- Calvert
		still present.	Springs main unit 50%
			and units above and
			below the main spring
			0% because soybeans
			not harvest all yet by
			farm tenant, MSUs off
			hwy 100 are 50-75%
			full, with soybeans and
			MSU plants in great
			condition. Barren River
			Lake levels are
			currently just above
			summer pool.
Doug Travis WMA	Not surveyed		·
Cave Run Lake	Not surveyed		
Clear Creek WMA	Not surveyed		
Peabody WMA	Not surveyed		
Sloughs WMA	7,765 Ducks	75% mallard, 25% mix of	Most shallow water
	45 CA geese	gadwall, northern pintail,	across the WMA
	5,750 Snow	green-winged teal, black	remained frozen during
	geese	duck, and northern shovelor.	the count as
	174 Swans	addity and not energy shove on	temperatures fell in the
	17 1 3 W 0 113		mid 20's overnight. The
			total duck count is likely
			underestimated as the
			sunny conditions and the
			fact that ducks held tight
			in buttonbush thickets made counting
			difficult. Snow geese were
			scattered on the WMA,
			either loafing or dry
			feeding on standing corn
			or winter wheat. With
			the Ohio River cresting at
			nearly 36 feet at JT Meyer
			tomorrow afternoon,
			good habitat conditions
			can be found on the
			Grassy Pond/Powell's
			Lake Unit and low areas of
			Highland Creek Unit of the

			WMA. However, road
			access will be an issue for
			some areas, and hunters
			should be cautious of
			flooded roadways.
Yellowbank WMA	Not surveyed	60% wood duck, 25% mallard,	Most moist-soil units
		5% gadwall, 10% other ducks	are at 75% water
			capacity, but there are
			several units with little
			water due to soybeans
			still in fields.
Blue Grass Army Depot	Not surveyed		
(all lakes and ponds)	•		
Herrington Lake	Not surveyed		
	·		
Taylorsville Lake	Not surveyed		
Cedar Cr./Dix R. WMA	Not surveyed		
Green River WMA	Not surveyed		

November 29, 2018 Kentucky Waterfowl Ground Counts

This is the winter-waterfowl ground count survey for November 26-30, 2018. Last week started the 2018-19 waterfowl season, and hunting reports varied across the state from excellent to fair. Geese in central Kentucky are still scattered, but are moving around to feed. Ducks are also scattered, needing some cooler weather to congregate them. Several wood ducks were harvested, but they will soon be leaving us for warmer wintering grounds. Look for a fresh push of birds fleeing the heavy snow predicted to our North. Below freezing temps locked up most shallow water areas during the survey this week, but rain and warmer temps are predicted for the weekend. Unfortunately, weather models are predicting that the early cold will give way to the same mild and dry conditions that we experienced last winter. Let's all hope those predictions are wrong!

After one of the wettest summers on record, Kentucky waterfowl hunters can expect favorable water conditions for hunting this year. Most of the states wetlands are in above average condition. Moist soil plants look great across the state. Crops favored well in most places, although many areas struggled to get corn planted. Overall, conditions for ducks are good, and we are set to manage as needed throughout the season.

Location	Number	Species Composition	Comments
Ballard WMA	29,217 Ducks 51 CA geese 2,500 WF geese 200 Snow geese	97% Mallard, 2% Gadwall, 1% mix of GW Teal, Hooded Merganser, Wood Duck, Pintail, Black Duck and Ring- necked.	Most shallow water was frozen during the survey. Habitat conditions look great. There is an abundance of moist soil vegetation and grain. Winter wheat is up and growing in most units that were planted.
Boatwright WMA	18,789 Ducks 20 CA geese 600 WF geese	99% Mallard, 1% Wood duck, GW teal and black duck.	Shallow water was frozen during the survey. Floodwaters are still receding. The Swan Lake unit was difficult to survey due to water levels. There is an abundance of grain and moist soil habitat available.

Duck Island	2 210 Ducks	Mallards 2700 CWT 250	Habitat is excellent. Milo
DUCK ISIdIIU	3,210 Ducks	Mallards – 2700, GWT – 250,	planted this year did well,
	275 CA geese	Pintail – 75, Gadwall – 125,	and moist soil vegetation
		Ringneck – 60, Wigeon – 90	is excellent. Fall rains
			have resulted in pool
			levels a bit higher than
			optimal for this time of
			year, but water is
			available for management
			of all impoundments.
Barren River Lake WMA	300 ducks	50/50 small divers and	All moist soil units were
Barrell River Lake WIVIA		mallards.	
	20 CA geese	manarus.	frozen during the
	0 Sandhill		survey. Peters Creek
	cranes		MSU 60% full, Long
			Creek- Calvert Springs
			main unit 50% and
			units above and below
			the main spring 0%
			because soybeans not
			harvest yet by farm
			tenant, MSUs off hwy
			100 are 50-75% full,
			with soybeans and MSU
			plants in great
			condition. Barren River
			Lake level: 547.9'
Doug Travis M/M/A	6,000 ducks		
Doug Travis WMA	6,000 ducks		Mississippi River backwater has been
			present on the WMA
			for several weeks, but is
			now falling and is
			forecast to fall to the
			low-to-mid 30's on the
			Cairo gage by the next
			opener on 12/3. The
			present river forecast
			should allow vehicle
			access to all boat ramps
			and parking sites on the
			12/3 opener, although
			roads will be muddy in
			many places from silt
			deposited during the
			recent flood event.
			Mobility Impaired blind
			19 is now constructed
			and available to hunt.

Cave Run Lake 30 CA geese 100 coots 100 co		T		
Peabody WMA 919 ducks 140 CA geese 147 Swans Peabody WMA 9,500 Ducks 36 CA geese 8,000 WF geese 5,000 Snow geese 147 Swans Peabody WMA 9,500 Ducks 36 CA geese 8,000 WF geese 5,000 Snow geese 147 Swans Any water shallower than 1 foot was frozen at the time of the survey. Water levels in the sloughs and Pond Creek Marsh complex have receded over the past week, affording excellent foraging opportunities for ducks. Most ducks seen were concentrated in the Pond Creek Marsh complex and Doriott Slough. The remaining ducks were scattered between Hardy Slough complex, Gentle Pond, and Muddy Slough. Snow geese continue to move between the WMA and north in to Indiana throughout the day. White fronted geese were found either loafing on Muddy Slough or on the Pond Creek marsh complex. Yellowbank WMA 640 Ducks 80% mallard, 10% wood duck, 5% black duck & 5% other puddle ducks Most moist-soil units are at 85% water capacity, but there are	Cave kun Lake	30 CA geese	merganser, 10% teal, common merganser,	start letting it down to prepare for incoming precipitation. Hydrilla was treated with herbicide in many areas this year in an effort to control the nuisance species. The recent booms have been knocked back, leaving "normal" habitat conditions. The flats area of the lake, as well as some coves still have
36 CA geese 8,000 WF geese 5,000 Snow geese 147 Swans 1 foot was frozen at the time of the survey. Water shovelor. 1 foot was frozen at the time of the survey. Water shovelor. 1 foot was frozen at the time of the survey. Water shovelor. 1 foot was frozen at the time of the survey. Water shovelor. 1 foot was frozen at the time of the survey. Water shovelor. 1 foot was frozen at the time of the survey. Water showled in the showled in the shovelor. 1 foot was frozen at the time of the survey. Water showled in the showled in the shovelor. 1 foot was frozen at the time of the survey. Water showled in the showled in the showled in the showled over the past week, affording excellent foraging opportunities for ducks. Most ducks seen were concentrated in the Pond Creek Marsh complex, and Doriott Slough. The remaining ducks were scattered between Hardy Slough. The remaining ducks were scattered between Hardy Slough. Slough. The remaining ducks were scattered between the WMA and north in to Indiana throughout the day. White fronted geese were found either loafing on Muddy Slough or on the Pond Creek marsh complex. 1 foot was frozen at the time of the survey. Water should be showled in the sloughs and Pond Creek Marsh complex in the slou	Peabody WMA		167 divers (95% ring-necked	
5% black duck & 5% other are at 85% water puddle ducks capacity, but there are	Sloughs WMA	36 CA geese 8,000 WF geese 5,000 Snow geese	85% mallard, 15% mix of gadwall, northern pintail, green-winged teal, black duck, ring-necks and northern	1 foot was frozen at the time of the survey. Water levels in the sloughs and Pond Creek Marsh complex have receded over the past week, affording excellent foraging opportunities for ducks. Most ducks seen were concentrated in the Pond Creek Marsh complex and Doriott Slough. The remaining ducks were scattered between Hardy Slough complex, Gentle Pond, and Muddy Slough. Snow geese continue to move between the WMA and north in to Indiana throughout the day. White fronted geese were found either loafing on Muddy Slough or on the Pond Creek marsh
	Yellowbank WMA	640 Ducks	5% black duck & 5% other	are at 85% water capacity, but there are

		water due to soybeans still in fields.
Blue Grass Army Depot	Not surveyed	
Herrington Lake	Not surveyed	

December 6, 2018 Kentucky Waterfowl Ground Counts

This is the winter-waterfowl ground count survey for December 3-7, 2018. The second segment of the duck season began this week, and hunting reports varied across the state. Geese in central Kentucky are still scattered, and are still moving around to feed. Along the Ohio and Mississippi rivers, flood waters have scattered the ducks around the landscape, making them harder to hunt. There are still a lot of birds to our north, so hope for more cold and snow to send them to us. Unfortunately, weather models are still predicting that the early cold experienced in Nov/Dec, will give way to the same mild and dry conditions that we experienced last winter. Let's all hope those predictions are wrong!

After one of the wettest summers on record, Kentucky waterfowl hunters can expect favorable water conditions for hunting this year. Most of the states wetlands are in above average condition. Moist soil plants look great across the state. Crops favored well in most places, although many areas struggled to get corn planted. Overall, conditions for ducks are good, and we are set to manage as needed throughout the season.

Location	Number	Species Composition	Comments
Ballard WMA	27,870 Ducks 50 CA geese 4,000 WF geese	99% Mallard, 1% Gadwall, ring-neck, goldeneye, wood duck, wigeon, pintail and hooded merganser.	Habitat looks excellent. Ohio River is beginning to flood the area. Birds seem to be scattered due to high water.
Boatwright WMA	Survey not possible due to flooding.		
Duck Island	Not Surveyed		
Barren River Lake WMA	Not Surveyed		
Doug Travis WMA	2,200 ducks	2000 Mallards, 100 GW teal, 100 assorted dabblers. ***Ground survey is incomplete, as the area south of Fish Lk Road is not accessible by vehicle.	Some boat launches are now inaccessible by road. Based on Mississippi River forecast, water may be across Fish Lake Road and Laketon Road by Thursday or Friday. Hunters are cautioned to check road and boat ramp conditions by wading before driving vehicles through water.
Cave Run Lake	185 Ducks	80% bufflehead and hooded merganser, 20% mallard,	Expect the ACOE to start letting it down to

Peabody WMA 666 ducks 175 CA gees.	black duck, gadwall, and unknown species. 352 puddlers (95% Mallard),	prepare for incoming precipitation. Hydrilla was treated with herbicide in many areas this year in an effort to control the nuisance species. The recent booms have been knocked back, leaving "normal" habitat conditions. The flats area of the lake, as well as some coves still have decent vegetation.
•	352 puddlers (95% Mallard),	·
	•	
Sloughs WMA 12,235 Duck 79 CA geese 9,835 WF gee 7,200 Snow geese 126 Swans	85% mallard, 15% mix of gadwall, northern pintail,	Recent rains have both the Pond Creek marsh and the Ohio River slowly rising. The river is predicted to crest at J.T. Meyers at 35' on Thursday, which will provide some favorable water conditions on Highland Creek and Grassy Pond/Powell's Lake. Again, the ducks were concentrated within the Pond Creek marsh complex, with the birds capitalizing on freshly flooded food sources. The remaining ducks were found in Doriott Slough, Hardy Slough complex, and Muddy Slough. Snow geese continue to transition between the WMA and fields across the Ohio River in Indiana. White fronted geese were scattered in large groups in several locations within the refuge.
Yellowbank WMA 675 Ducks	85% mallard, 5% wood duck, 5% gadwall, 5% other puddle ducks	Most moist-soil units are at 85% water capacity, but there are several units with little

			water due to soybeans still in fields.
Blue Grass Army Depot	54 ducks 8 CA geese	36 mallards and 18 black ducks	The moist soil unit is 100% full. The beavers have extended the flooded woodland a considerable distance upstream of the head of Lake Vega.
Herrington Lake	Not surveyed		

December 14, 2018 Kentucky Waterfowl Ground Counts

This is the winter-waterfowl ground count survey for December 10-14, 2018. Hunting reports were fairly week from the last 7 days or so, as freezing conditions, shallow backwaters, and generally low bird numbers combined forces to challenge Kentucky hunters. Along the Ohio and Mississippi rivers, floodwaters have crested and started falling. There are increasing reports of frozen lakes and snow cover to the north; however, the upper Mississippi and Illinois River waterfowl surveys reported more than 600,000 mallards still hanging on.

Most of the states wetlands are in above average condition. Moist soil food is still in abundance across the state. Crops favored well in most places, although many areas struggled to get corn planted. Overall, conditions for ducks are good, and we are set to manage as needed throughout the season.

Location	Number	Species Composition	Comments
Ballard WMA	23,981 Ducks	98% Mallard, 1% Gadwall, &	Habitat looks good.
	122 CA geese	1% wigeon, ring-neck,	Ohio River is falling out,
	3,500 WF geese	goldeneye, black duck and	and water levels are
	200 Snow geese	hooded merganser.	dropping to more
			favorable conditions in
			the hunting units. Birds
			are not moving around
			much.
Boatwright WMA		Survey not possible due to	
		flooding.	
Duck Island	2,900 ducks	55% Mallard, 40% GW teal,	
		3% Ring-necked duck & 2%	
		pintail, gadwall, wigeon and	
		black duck.	
Doug Travis WMA	9,000 ducks***	95% Mallards and 5%	As of 12/12, water is off
		assorted dabblers and ring-	off Fish Lake Road. #4
		necked duck.	Lake and Indian Camp
			Slough boat ramps are
		***Ground survey is an	not accessible by
		estimate, as the survey area is	vehicle.
		not accessible by vehicle.	
Sloughs WMA	18,911 Ducks	90% mallard, 10% gadwall,	Except where
	116 CA geese	green-winged teal, black	waterfowl had kept it
	9,725 WF geese	ducks, shovelors	open, all shallow water
	200 Snow geese		on the refuge was
	173 Swans		frozen at the time of
			the survey. However,
			rain and a warming

Cave Run Lake	901 Ducks	50/50 divers and dabblers.	Expect the ACOE to
	400 CA goose		start letting it down to
	100+ coots	Dablers: 66% mallard, 10%	prepare for incoming
		GW teal, 24% gadwall, black	precipitation. Hydrilla
		duck and unknowns.	was treated with
			herbicide in many areas
		Divers: 40% hooded	this year in an effort to
		merganser, 25% bufflehead,	control the nuisance
		15% canvasback, & 20% rin-	species. The recent
		necked duck, scaup or	booms have been
		unknowns.	knocked back, leaving
			"normal" habitat
			conditions. The flats
			area of the lake, as well
			as some coves still have
			decent vegetation.
Blue Grass Army Depot	Not surveyed		
Herrington Lake	Not surveyed		

December 20, 2018 Kentucky Waterfowl Ground Counts

This is the winter-waterfowl ground count survey for December 17-21, 2018. Hunting reports were a little better last week, however mild temps and lots of rain has birds scattered once again. On the 17th, there were 309,420 total ducks reported on the Illinois and central Mississippi rivers, indicating that birds have started moving south. The report from Missouri Dept of Conservation lists 755,405 ducks in total across MO's managed public wetlands. Southern Illinois and Southeastern Missouri waterfowl areas are still not reporting large concentrations of ducks, however.

Most of the states wetlands are still in above average condition. Moist soil food is still in abundance across the state. Crops favored well in most places, although many areas struggled to get corn planted. Overall, conditions for ducks are good, and we are set to manage as needed throughout the season.

Location	Number	Species Composition	Comments
Ballard WMA	23,244 Ducks	96% Mallard, 2% Gadwall, &	
	114 CA geese	2% wigeon, shoveler, scaup,	
	6,500 WF geese	ring-neck, goldeneye, ruddy	
	8,000 Snow	duck and mergansers.	
	geese		
Boatwright WMA		Survey not possible due to	
		flooding.	
Duck Island	Not surveyed		
Doug Travis WMA	300 ducks***	90% Mallards and 10%	Water is rising again
		assorted dabblers.	with a predicted crest
			of 39.9' at the Cairo
		***Ground survey is an	gage. If the river
		estimate, as the survey area is	forecast holds, water
		not accessible by vehicle.	will not cross Fish Lake
			Rd. Indian Camp
			Slough boat ramp is
			inaccessible due to
			flooding. Hunters are
			accessing blinds 18 and
			19 by launching boats
			from Drew Rd at the
			base of the bluff. The
			road to blinds 16 and
			17 is flooded before 16,
			although both spots are
			accessible via boat.

Sloughs WMA	9,215 Ducks	90% mallards 10% mixed bag	Over the past week, we
Sloughs WIVIA	105 CA geese	of green-winged teal,	have experienced a
	_		· ·
	5,780 WF geese	northern shovelor, gadwall,	significant warm up and
	6,500 Snow	black ducks, and pintails.	three days of rain,
	geese		bringing approximately
	168 Swans		4 inches total.
			Headwater flooding in
			fields is providing new
			foraging habitat for
			ducks across the region,
			and has certainly
			spread the ducks across
			the landscape. Water
			levels in the Pond Creek
			marsh complex have
			risen substantially,
			limiting feeding
			opportunities for ducks
			in the marsh itself. The
			rising water has flooded
			extensive areas of
			timber across the
			refuge. Nearly all of
			the ducks observed on
			the count were in
			recently flooded stands
			of timber with water
			depths less than 20
			inches. White fronted
			geese were scattered
			across the refuge
			between Muddy Slough
			and the Pond Creek
			marsh complex. All
			snow geese were found
			loafing in a single
			moist-soil
			impoundment and dry
			feeding in an adjacent
			field planted to winter
			wheat.
Parron Divor Lake MAAA	40 duales	750/ dabblers and 250/ division	Peters Creek MSU: 60%
Barren River Lake WMA	40 ducks	75% dabblers and 25% divers	
	86 CA geese		full, Long Creek- Calvert
	3,434 Sandhill		Springs main unit: 50%
	Cranes		and units above and
			below the main spring
			25-60%% and rising.
			Milo, corn, soybeans,

			and moist soil plants in excellent condition and in standing water. MSUs off hwy 100 are 50-75% full, with soybeans, and MSU plants in great condition too. 12/18 Lake Level: 538.8′ and falling.
Peabody WMA	Not Surveyed		
Yellowbank WMA	475 Ducks	85% mallard, 5% black duck, 5% gadwall, 5% other dabbling ducks	Most moist-soil units are at 85% water capacity.
Cave Run Lake	346 Ducks 125 CA goose	93% divers Dabblers: 11 unknown, 8 mallard, 5 gadwall, & 1 GW teal. Divers: 130 hooded merganser, 100+ bufflehead, 75+ canvasback, 6 ring- necked duck and 10 unknown.	Hydrilla was treated with herbicide in many areas this year in an effort to control the nuisance species. The recent booms have been knocked back, leaving "normal" habitat conditions. The flats area of the lake, as well as some coves still have decent vegetation.
Blue Grass Army Depot Herrington Lake	Not surveyed Not surveyed		
Herrington Lake	ivot suiveyeu		

December 27, 2018 Kentucky Waterfowl Ground Counts

This is the winter-waterfowl ground count survey for December 24-28, 2018. Hunting reports were a little better last week; however continued mild temps and lots of rain has birds still scattered. The holidays have delayed reporting of ducks along the Illinois and central Mississippi Rivers, as well as across Missouri's managed public wetlands, so the counts typically reported here could not be obtained this week.

Most of the state's wetlands are still in above average condition. Moist soil food is still in abundance across the state. Crops favored well in most places, although many areas struggled to get corn planted. Overall, conditions for ducks are good, and we are set to manage as needed throughout the season.

Location	Number	Species Composition	Comments
Ballard WMA	Ducks: 20,561	86% Mallard, 5% Gadwall,	Habitat, moist soil food
		4% Wigeon, 4% Ring-	and small grain
	Canada Geese: 46	neck, 1% mixed	availability all good.
	White Fronted	Goldeneye, Merganser,	River is just under 40',
	Geese: 4600	Wood Duck, Shoveler,	and flooding is causing
	Snow Geese: 3000	Pintail and Canvasback	birds to spread out.
			Large numbers to the
			north, but colder
			weather is needed to
			push them in.
Boatwright WMA	Not Surveyed		High water on survey
			route.
Duck Island	Not surveyed		
Doug Travis WMA	Not Surveyed		
Sloughs WMA	Ducks: 15,110	85-90% Mallard, 15%	Ohio River is currently
		green-winged teal,	rising and expected to
	White Fronted	northern shoveler,	crest at 39.2 Saturday,
	Geese: 3500	gadwall, black duck,	Dec 29 th . With
	Snow Geese: 0	widgeon, and pintail	moderate
	Canada Geese: 197		temperatures, birds
	Swans: 160		have not been moving
			much.
Barren River Lake WMA	10 Ducks,	100% Dabblers (Mallard	12/27 Lake Level:
	35 Canada Geese,	and Wood Duck)	535' and falling
	381 Sandhill Cranes		
Peabody WMA	Not Surveyed		

Yellowbank WMA	Not Surveyed	
Cave Run Lake	Not Surveyed	
Blue Grass Army Depot	Not surveyed	
Herrington Lake	Not surveyed	

January 3, 2019 Kentucky Waterfowl Ground Counts

This is the winter-waterfowl ground count survey for January 2-4, 2019. Hunting reports continue to be "less than desirable"... The Christmas and New Year's holidays have delayed reporting on some of our management areas, but most are back to work and back on our regular schedule. Mild weather continues to our North, so we will continue to be hopeful that conditions will improve soon.

Ohio and Mississippi river levels continue to rise, **closing Ballard WMA**, but bringing favorable backwater to other areas. Most of the lakes across the state are well above winter pool. Most of the state's wetlands are still in above average condition. Moist soil food is still in abundance across the state. Crops favored well in most places, although many areas struggled to get corn planted last summer. Overall, conditions for ducks are good, and we are set to manage as needed throughout the season.

Location	Number	Species Composition	Comments
Ballard WMA	Not Surveyed due to flooding.		Ballard WMA is closed due to flooding. By regulation, Ballard WMA becomes entirely refuge during backwater events.
Boatwright WMA	Not Surveyed		Survey not possible due to flooding. Boatwright WMA hunters must still check in each day, as the area remains open during backwater. See the hunting guide online for specific backwater rules on the area.
Duck Island	Not surveyed		
Doug Travis WMA	800-1000 ducks	80% mallards and 20% mixed dabblers. *incomplete count due to flooding*	All roads to the WMA are cut off by flooding. Boats can be launched in the roadside of Fish Lake Road and Laketon Road. Hunters can access blind sites 18 and 19 by launching boats at the end of
			Drew Road where the water begins.

A Strong is WMA CA geese: 254 WF Geese: 4,250 Snow Geese: 0 Sird have spread out and are not moving during shooting hours. A surprising number of pintalls were observed during the survey. All white-fronted geese were found loafing in Muddy Slough. No snow geese were observed at the time of the survey; however, large numbers of snow geese return to the area from the northwest to roost. Interestingly, all of our tundra swans have left the area. Barren River Lake WMA Not Surveyed Peabody WMA Not Surveyed Yellowbank WMA Not Surveyed Yellowbank WMA Not Surveyed Cave Run Lake Sa ducks So - bufflehead, 10 hooded mergansers, 6 ruddy ducks and 2 ringnecked ducks. Blue Grass Army Depot Not surveyed Herrington Lake Not surveyed Not surveyed Not surveyed	Sloughs WMA	Ducks: 15,843	75% mallards, 25% mix of	Ohio River is still rising
WF Geese: 4,250 Snow Geese: 0 winged teal, northern shovelor, and black ducks winged teal, northern shovelor, and black ducks at 39.5 on Saturday. The abundance of water across the landscape combined with mild temperatures, has kept hunting success low. Birds have spread out and are not moving during shooting hours. A surprising number of pintails were observed during the survey. All white-fronted geese were found loafing in Muddy Slough. No snow geese were observed at the time of the survey; however, large numbers of snow geese return to the area from the northwest to roost. Interestingly, all of our tundra swans have left the area. Barren River Lake WMA Not Surveyed Yellowbank WMA Not Surveyed Yellowbank WMA Not Surveyed Cave Run Lake 38 ducks 20- bufflehead, 10 hooded mergansers, 6 ruddy ducks and 2 ringnecked ducks. Blue Grass Army Depot Not surveyed Not surveyed Not surveyed Not surveyed Not surveyed law general field as approaching summer pool, and the river is full as water is being pulled out of the lake.	Sloughs WIVIA	•	· ·	
Snow Geese: 0 Snow Geese: 0 Snow Geese: 0 Shovelor, and black ducks Shovelor, and black ducks The abundance of water across the landscape combined with mild temperatures, has kept hunting success low. Birds have spread out and are not moving during shooting hours. A surprising number of pintails were observed during the survey. All white-fronted geese were found loafing in Muddy Slough. No snow geese were observed at the time of the survey; however, large numbers of snow geese return to the area from the northwest to roost. Interestingly, all of our tundra swans have left the area. Barren River Lake WMA Not Surveyed Peabody WMA Not Surveyed Yellowbank WMA Not Surveyed Yellowbank WMA Not Surveyed Cave Run Lake 38 ducks 20- bufflehead, 10 hooded mergansers, 6 ruddy ducks and 2 ringnecked ducks. Blue Grass Army Depot Not surveyed Not surveyed			1	· ·
water across the landscape combined with mild temperatures, has kept hunting success low. Birds have spread out and are not moving during shooting hours. A surprising number of pintails were observed during the survey. All white-fronted geese were found loafing in Muddy Slough. No snow geese were observed at the time of the survey; however, large numbers of snow geese return to the area from the northwest to roost. Interestingly, all of our tundra swans have left the area. Barren River Lake WMA Not Surveyed Peabody WMA Not Surveyed Yellowbank WMA Not Surveyed Cave Run Lake 38 ducks 20- bufflehead, 10 hooded mergansers, 6 ruddy ducks and 2 ringnecked ducks. Blue Grass Army Depot Not surveyed Blue Grass Army Depot Not surveyed			1	,
landscape combined with mild temperatures, has kept hunting success low. Birds have spread out and are not moving during shooting hours. A surprising number of pintails were observed during the survey. All white-fronted geese were found loafing in Muddy Slough. No snow geese were observed at the time of the survey; however, large numbers of snow geese return to the area from the northwest to roost. Interestingly, all of our tundra swans have left the area. Barren River Lake WMA Not Surveyed Peabody WMA Not Surveyed Yellowbank WMA Not Surveyed Cave Run Lake 38 ducks 20- bufflehead, 10 hooded mergansers, 6 ruddy ducks and 2 ringnecked ducks. Lake level is approaching summer pool, and the river is full as water is being pulled out of the lake. Blue Grass Army Depot Not surveyed		Snow Geese: 0	snovelor, and black ducks	
with mild temperatures, has kept hunting success low. Birds have spread out and are not moving during shooting hours. A surprising number of pintails were observed during the survey. All white-fronted geese were found loafing in Muddy Slough. No snow geese were observed at the time of the survey; however, large numbers of snow geese return to the area from the northwest to roost. Interestingly, all of our tundra swans have left the area. Barren River Lake WMA Not Surveyed Peabody WMA Not Surveyed Yellowbank WMA Not Surveyed Cave Run Lake 38 ducks 20- bufflehead, 10 hooded mergansers, 6 ruddy ducks and 2 ringnecked ducks. Lake level is approaching summer pool, and the river is full as water is being pulled out of the lake. Blue Grass Army Depot Not surveyed				
temperatures, has kept hunting success low. Birds have spread out and are not moving during shooting hours. A surprising number of pintails were observed during the survey. All white-fronted geese were found loafing in Muddy Slough. No snow geese were observed at the time of the survey; however, large numbers of snow geese return to the area from the northwest to roost. Interestingly, all of our tundra swans have left the area. Barren River Lake WMA Not Surveyed Peabody WMA Not Surveyed Yellowbank WMA Not Surveyed Cave Run Lake 38 ducks 20- bufflehead, 10 hooded mergansers, 6 ruddy ducks and 2 ring-necked ducks. Blue Grass Army Depot Not surveyed				· ·
hunting success low. Birds have spread out and are not moving during shooting hours. A surprising number of pintails were observed during the survey. All white-fronted geese were found loafing in Muddy Slough. No snow geese were observed at the time of the survey; however, large numbers of snow geese return to the area from the northwest to roost. Interestingly, all of our tundra swans have left the area. Barren River Lake WMA Not Surveyed Peabody WMA Not Surveyed Yellowbank WMA Not Surveyed Cave Run Lake 38 ducks 20- bufflehead, 10, hooded mergansers, 6 ruddy ducks and 2 ring-necked ducks. Blue Grass Army Depot Not surveyed				
Birds have spread out and are not moving during shooting hours. A surprising number of pintails were observed during the survey. All white-fronted geese were found loafing in Muddy Slough. No snow geese were observed at the time of the survey; however, large numbers of snow geese return to the area from the northwest to roost. Interestingly, all of our tundra swans have left the area. Barren River Lake WMA Not Surveyed Peabody WMA Not Surveyed Yellowbank WMA Not Surveyed Cave Run Lake 38 ducks 20- bufflehead, 10 hooded mergansers, 6 ruddy ducks and 2 ringnecked ducks. Blue Grass Army Depot Not surveyed Blue Grass Army Depot Not surveyed				
and are not moving during shooting hours. A surprising number of pintails were observed during the survey. All white-fronted geese were found loafing in Muddy Slough. No snow geese were observed at the time of the survey; however, large numbers of snow geese return to the area from the northwest to roost. Interestingly, all of our tundra swans have left the area. Barren River Lake WMA Not Surveyed Peabody WMA Not Surveyed Yellowbank WMA Not Surveyed Cave Run Lake 38 ducks 20- bufflehead, 10 hooded mergansers, 6 ruddy ducks and 2 ringnecked ducks. approaching summer pool, and the river is full as water is being pulled out of the lake. Blue Grass Army Depot Not surveyed				
during shooting hours. A surprising number of pintalls were observed during the survey. All white-fronted geese were found loafing in Muddy Slough. No snow geese were observed at the time of the survey; however, large numbers of snow geese return to the area from the northwest to roost. Interestingly, all of our tundra swans have left the area. Barren River Lake WMA Not Surveyed Peabody WMA Not Surveyed Yellowbank WMA Not Surveyed Cave Run Lake 38 ducks 20- bufflehead, 10 hooded mergansers, 6 ruddy ducks and 2 ring-necked ducks. full as water is being pulled out of the lake. Blue Grass Army Depot Not surveyed				· ·
A surprising number of pintails were observed during the survey. All white-fronted geese were found loafing in Muddy Slough. No snow geese were observed at the time of the survey; however, large numbers of snow geese return to the area from the northwest to roost. Interestingly, all of our tundra swans have left the area. Barren River Lake WMA Not Surveyed Peabody WMA Not Surveyed Yellowbank WMA Not Surveyed Cave Run Lake 38 ducks 20- bufflehead, 10 hooded mergansers, 6 ruddy ducks and 2 ringnecked ducks. Lake level is approaching summer pool, and the river is full as water is being pulled out of the lake. Blue Grass Army Depot Not surveyed				_
pintails were observed during the survey. All white-fronted geese were found loafing in Muddy Slough. No snow geese were observed at the time of the survey; however, large numbers of snow geese return to the area from the northwest to roost. Interestingly, all of our tundra swans have left the area. Barren River Lake WMA Not Surveyed Peabody WMA Not Surveyed Yellowbank WMA Not Surveyed Cave Run Lake 38 ducks 20- bufflehead, 10 hooded mergansers, 6 ruddy ducks and 2 ringnecked ducks. approaching summer pool, and the river is full as water is being pulled out of the lake. Blue Grass Army Depot Not surveyed				during shooting hours.
during the survey. All white-fronted geese were found loafing in Muddy Slough. No snow geese were observed at the time of the survey; however, large numbers of snow geese return to the area from the northwest to roost. Interestingly, all of our tundra swans have left the area. Barren River Lake WMA Not Surveyed Peabody WMA Not Surveyed Yellowbank WMA Not Surveyed Cave Run Lake 38 ducks 20- bufflehead, 10 hooded mergansers, 6 ruddy ducks and 2 ringnecked ducks. Blue Grass Army Depot Not surveyed Not surveyed				A surprising number of
white-fronted geese were found loafing in Muddy Slough. No snow geese were observed at the time of the survey; however, large numbers of snow geese return to the area from the northwest to roost. Interestingly, all of our tundra swans have left the area. Barren River Lake WMA Not Surveyed Peabody WMA Not Surveyed Yellowbank WMA Not Surveyed Cave Run Lake 38 ducks 20- bufflehead, 10 hooded mergansers, 6 ruddy ducks and 2 ringnecked ducks. Blue Grass Army Depot Not surveyed				pintails were observed
were found loafing in Muddy Slough. No snow geese were observed at the time of the survey; however, large numbers of snow geese return to the area from the northwest to roost. Interestingly, all of our tundra swans have left the area. Barren River Lake WMA Not Surveyed Peabody WMA Not Surveyed Yellowbank WMA Not Surveyed Cave Run Lake 38 ducks 20- bufflehead, 10 hooded mergansers, 6 ruddy ducks and 2 ringnecked ducks. Blue Grass Army Depot Not surveyed Not surveyed				during the survey. All
Muddy Slough. No snow geese were observed at the time of the survey; however, large numbers of snow geese return to the area from the northwest to roost. Interestingly, all of our tundra swans have left the area. Barren River Lake WMA Not Surveyed Peabody WMA Not Surveyed Yellowbank WMA Not Surveyed Cave Run Lake 38 ducks 20- bufflehead, 10 hooded mergansers, 6 ruddy ducks and 2 ringnecked ducks. approaching summer pool, and the river is full as water is being pulled out of the lake. Blue Grass Army Depot Not surveyed				white-fronted geese
snow geese were observed at the time of the survey; however, large numbers of snow geese return to the area from the northwest to roost. Interestingly, all of our tundra swans have left the area. Barren River Lake WMA Not Surveyed Peabody WMA Not Surveyed Yellowbank WMA Not Surveyed Cave Run Lake 38 ducks 20- bufflehead, 10 hooded mergansers, 6 ruddy ducks and 2 ringnecked ducks. approaching summer pool, and the river is full as water is being pulled out of the lake. Blue Grass Army Depot Not surveyed				were found loafing in
observed at the time of the survey; however, large numbers of snow geese return to the area from the northwest to roost. Interestingly, all of our tundra swans have left the area. Barren River Lake WMA Not Surveyed Peabody WMA Not Surveyed Yellowbank WMA Not Surveyed Cave Run Lake 38 ducks 20- bufflehead, 10 hooded mergansers, 6 ruddy ducks and 2 ringnecked ducks. Blue Grass Army Depot Not surveyed Not surveyed				Muddy Slough. No
the survey; however, large numbers of snow geese return to the area from the northwest to roost. Interestingly, all of our tundra swans have left the area. Barren River Lake WMA Not Surveyed Peabody WMA Not Surveyed Yellowbank WMA Not Surveyed Cave Run Lake 38 ducks 20- bufflehead, 10 hooded mergansers, 6 ruddy ducks and 2 ringnecked ducks. approaching summer pool, and the river is full as water is being pulled out of the lake. Blue Grass Army Depot Not surveyed				snow geese were
large numbers of snow geese return to the area from the northwest to roost. Interestingly, all of our tundra swans have left the area. Barren River Lake WMA Not Surveyed Peabody WMA Not Surveyed Yellowbank WMA Not Surveyed Cave Run Lake 38 ducks 20- bufflehead, 10 hooded mergansers, 6 ruddy ducks and 2 ringnecked ducks. Blue Grass Army Depot Not surveyed Iarge numbers of snow geese return to the area from the northwest to roost. Interestingly, all of our tundra swans have left the area. Lake level is approaching summer pool, and the river is full as water is being pulled out of the lake.				observed at the time of
geese return to the area from the northwest to roost. Interestingly, all of our tundra swans have left the area. Barren River Lake WMA Not Surveyed Peabody WMA Not Surveyed Yellowbank WMA Not Surveyed Cave Run Lake 38 ducks 20- bufflehead, 10 hooded mergansers, 6 ruddy ducks and 2 ringnecked ducks. Blue Grass Army Depot Not surveyed Blue Grass Army Depot Not surveyed				the survey; however,
area from the northwest to roost. Interestingly, all of our tundra swans have left the area. Barren River Lake WMA Not Surveyed Peabody WMA Not Surveyed Yellowbank WMA Not Surveyed Cave Run Lake 38 ducks 20- bufflehead, 10 hooded mergansers, 6 ruddy ducks and 2 ringnecked ducks. full as water is being pulled out of the lake. Blue Grass Army Depot Not surveyed				large numbers of snow
Barren River Lake WMA Not Surveyed Peabody WMA Not Surveyed Yellowbank WMA Not Surveyed Cave Run Lake 38 ducks 20- bufflehead, 10 hooded mergansers, 6 ruddy ducks and 2 ringnecked ducks. Blue Grass Army Depot Not surveyed Not surveyed				geese return to the
Barren River Lake WMA Not Surveyed Peabody WMA Not Surveyed Yellowbank WMA Not Surveyed Cave Run Lake 38 ducks 20- bufflehead, 10 hooded mergansers, 6 ruddy ducks and 2 ringnecked ducks. Blue Grass Army Depot Not surveyed Interestingly, all of our tundra swans have left the area. Lake level is approaching summer pool, and the river is full as water is being pulled out of the lake.				area from the
Barren River Lake WMA Not Surveyed Peabody WMA Not Surveyed Yellowbank WMA Not Surveyed Cave Run Lake 38 ducks 20- bufflehead, 10 hooded mergansers, 6 ruddy ducks and 2 ringnecked ducks. Blue Grass Army Depot Not surveyed tundra swans have left the area. Lake level is approaching summer pool, and the river is full as water is being pulled out of the lake.				northwest to roost.
Barren River Lake WMA Not Surveyed Peabody WMA Not Surveyed Yellowbank WMA Not Surveyed Cave Run Lake 38 ducks 20- bufflehead, 10 hooded mergansers, 6 ruddy ducks and 2 ringnecked ducks. Blue Grass Army Depot Not surveyed tundra swans have left the area. Lake level is approaching summer pool, and the river is full as water is being pulled out of the lake.				Interestingly, all of our
Barren River Lake WMA Not Surveyed Peabody WMA Not Surveyed Yellowbank WMA Not Surveyed Cave Run Lake 38 ducks 20- bufflehead, 10 hooded mergansers, 6 ruddy ducks and 2 ringnecked ducks. Blue Grass Army Depot Not surveyed Not Surveyed				
Barren River Lake WMA Not Surveyed Peabody WMA Not Surveyed Yellowbank WMA Not Surveyed Cave Run Lake 38 ducks 20- bufflehead, 10 hooded mergansers, 6 ruddy ducks and 2 ringnecked ducks. Blue Grass Army Depot Not surveyed Not Surveyed				the area.
Yellowbank WMA Cave Run Lake 38 ducks 20- bufflehead, 10	Barren River Lake WMA	Not Surveyed		
Cave Run Lake 38 ducks 20- bufflehead, 10 hooded mergansers, 6 ruddy ducks and 2 ring- necked ducks. Blue Grass Army Depot Not surveyed 20- bufflehead, 10 Lake level is approaching summer pool, and the river is full as water is being pulled out of the lake.	Peabody WMA	Not Surveyed		
hooded mergansers, 6 ruddy ducks and 2 ring-pool, and the river is full as water is being pulled out of the lake. Blue Grass Army Depot Not surveyed approaching summer pool, and the river is full as water is being pulled out of the lake.	Yellowbank WMA	Not Surveyed		
ruddy ducks and 2 ring- necked ducks. pool, and the river is full as water is being pulled out of the lake. Blue Grass Army Depot Not surveyed	Cave Run Lake	38 ducks	20- bufflehead, 10	Lake level is
necked ducks. full as water is being pulled out of the lake. Blue Grass Army Depot Not surveyed			hooded mergansers, 6	approaching summer
Blue Grass Army Depot Not surveyed pulled out of the lake.			ruddy ducks and 2 ring-	pool, and the river is
Blue Grass Army Depot Not surveyed			necked ducks.	full as water is being
				pulled out of the lake.
Herrington Lake Not surveyed	Blue Grass Army Depot	Not surveyed		
	Herrington Lake	Not surveyed		

January 11, 2019 Kentucky Waterfowl Ground Counts

This is the winter-waterfowl ground count survey for January 7-11, 2019. Also, the periodic winter waterfowl aerial surveys were flown this week. Watch for those reports early next week.

Ballard WMA remains closed. Most of the lakes across the state are well above winter pool. Most of the state's wetlands are still in above average condition. Moist soil food is still in abundance across the state. Crops favored well in most places, although many areas struggled to get corn planted last summer. Overall, conditions for ducks are good, and we are set to manage as needed throughout the season.

Location	Number	Species Composition	Comments
Ballard WMA	Not Surveyed due		Ballard WMA is closed
	to flooding.		due to flooding. <i>By</i>
			regulation, Ballard
			WMA becomes entirely
			refuge during
			backwater events.
Boatwright WMA	Not Surveyed		Survey not possible due
			to flooding. Boatwright
			WMA hunters must still
			check in each day, as
			the area remains open
			during backwater. See
			the hunting guide
			online for specific
			backwater rules on the
			area.
Duck Island	Not surveyed		
Doug Travis WMA	Not Surveyed		
Sloughs WMA	Ducks: 10,289	60% mallard, 40% mix of	Warm and wet
	CA geese: 104	green-winged teal,	conditions continue to
	WF Geese: 4,645	gadwall, pintail, and	prevail across the area,
	Snow Geese: 41	northern shovelor.	with temperatures
			reaching nearly 60
			degrees over the past
			three days. The Ohio
			River crested today at
			nearly 40' at the J.T.
			Meyer Dam gauge, but
			is expected to fall fast

			over the next week.
			With that, there is still a
			significant amount of
			water across the
			landscape. Similarly,
			the Pond Creek marsh
			remains above normal
			pool; however, water
			was beginning to
			recede from some of
			the adjacent
			woodlands. Nearly all
			of the ducks observed
			were found in some
			sort of flooded timber,
			whether it be flooded
			willows, buttonbush, or
			bottomland
			hardwoods. Ducks
			continue to remain in
			the timber during the
			day, and roost in
			adjacent moist soil
			units and flooded fields,
			arriving to their
			roosting spots 5-10
			minutes before dark.
			White fronted geese
			continue to loaf and
			feed adjacent to Muddy
			Slough. Snow geese
			continue to be absent
			from the refuge during
			the day, but will return
			in the evening time to
			roost.
			. 2 300.
Barren River Lake WMA	Ducks: 10	Mallards and Wood ducks	Peters Creek MSU 80%
	CA Goose: 110		full, Long Creek- Calvert
			Springs main unit 100%
			and units above and
			below the main spring
			80-100%% full. Milo,
			corn, soybeans, and
			moist soil plants in
			excellent condition and
			in standing water.
			MSUs off hwy 100 are
		<u> </u>	111000 011 1111 1 100 arc

			70-100% full, with soybeans, and MSU plants in great condition. Lake is 17.3' above winter pool, at 545.3'.
Peabody WMA	Not Surveyed		
Yellowbank WMA	535 ducks	90% mallard, 5% black duck, 5% northern pintail	Most moist-soil units/ flooded fields are at maximum water capacity. Ducks are still scattered in flooded fields due to flooding from the Ohio River.
Cave Run Lake	38 ducks	20- bufflehead, 10 hooded mergansers, 6 ruddy ducks and 2 ring- necked ducks.	Lake level is approaching summer pool, and the river is full as water is being pulled out of the lake.
Blue Grass Army Depot	Not surveyed		
Herrington Lake	Not surveyed		

January 17, 2019 Kentucky Waterfowl Ground Counts

This is the winter-waterfowl ground count survey for January 14-18, 2019. Also, the periodic winter waterfowl aerial surveys were flown last week, and the report should be online now. The floodwaters have started to recede this week. With the colder weather setting in, we seem to be seeing a few more ducks than we have had.

Ballard WMA will reopen on Saturday, January 19. Staff at Ballard has devoted all their time this week to clean up. The weekly surveys will resume next week. Most of the lakes across the state are still well above winter pool. Most of the state's wetlands are still in above average condition. Moist soil food is still in abundance across the state, and crops are still providing food on most areas. Overall, conditions for ducks are good, and we are set to manage as needed throughout the season.

Location	Number	Species Composition	Comments
Ballard WMA	Not Surveyed due		Ballard WMA is closed
	to flood cleanup.		due to flooding, until
			Saturday, Jan. 19. <i>By</i>
			regulation, Ballard
			WMA becomes entirely
			refuge during
			backwater events.
Boatwright WMA	Not Surveyed		Survey not possible due
			to flooding. Boatwright
			WMA hunters must still
			check in each day, as
			the area remains open
			during backwater. See
			the hunting guide
			online for specific
			backwater rules on the
			area.
Duck Island	Not surveyed		
Doug Travis WMA	Not Surveyed		
Sloughs WMA	Ducks: 13,850	80% mallards, 20% mix of	The Ohio River is falling,
	CA geese: 275	green-winged teal,	reading 27' and falling
	WF Geese: 2,160	gadwall, shovelors, and	at the JT Meyer Dam
	Snow Geese: 3,700	pintails.	(1/15/19). The largest
	Swans: 133		concentrations of ducks
			continue to be found in
			flooded willow and
			buttonbush thickets.
			Large groups were also

	T		T .
			found in several moist
			soil units as well as
			recently flooded areas
			low areas with
			abundant herbaceous
			vegetation. Snow
			geese and white-
			fronted geese were
			found in mixed flocks,
			feeding in fields
			<u>~</u>
			adjacent to Muddy
			Slough. Large numbers
			of snow geese continue
			to return to the area to
			roost in the evening.
Barren River Lake WMA	Ducks: 45	75% Mallards and 25%	Peters Creek MSU 80%
	CA Goose: 95	redhead, bufflehead and	full, Long Creek- Calvert
	Sandhill Cranes: 102	scaup.	Springs main unit 100%
		•	and units above and
			below the main spring
			80-100%% full. Milo,
			corn, soybeans, and
			moist soil plants in
			excellent condition and
			in standing water.
			MSUs off hwy 100 are
			70-100% full, with
			soybeans, and MSU
			plants in great
			condition. Lake is 13.5'
			above winter pool, at
			541.5' (1/15/19).
Peabody WMA	Not Surveyed		311.3 (1/13/13).
,	Not Surveyed		
Yellowbank WMA	650 ducks	95% mallard, 5% black	Most moist-soil units/
		duck	flooded fields are at
			maximum water
			capacity. There was a
			sheet of ice over most
			of the units.
Cave Run Lake	142 ducks	65% divers, mostly	Lake levels still high and
55.5	4 CA goose	Canvasback and	the river is full and
	+ C/(8003C	bufflehead. 25%	flowing hard as they
		mergansers and 10%	pull water from the
		unknown or assorted	lake.
			lake.
DI 0 : -		puddlers.	
Blue Grass Army Depot	Not surveyed		
Herrington Lake	Not surveyed		

January 24, 2019 Kentucky Waterfowl Ground Counts

This is the winter-waterfowl ground count survey for January 21-25, 2019. The extremely wet season has continued, bringing high water levels across the state. We did get some snow and colder temps, but had some mild days mixed in with them. Ducks continue to be scattered across the landscape when the temps are mild, utilizing all the habitat made available by river floods or in low spots that collect water. Hunting reports did pick up in many places. The cold to the north seems to have birds moving south, and many hunters were out to take advantage of the newly arrived birds. I hope that we can all end the season well.

Ballard WMA is closing once again. This flood event is predicted to last through the youth weekend. Most of the lakes across the state are still well above winter pool. Most of the state's wetlands are still in above average condition. Moist soil food is still in abundance across the state, and crops are still providing food on most areas. Overall, conditions for ducks are good, and we are set to manage as needed throughout the season.

Location	Number	Species Composition	Comments
Ballard WMA	Not Surveyed due	A good push of birds	Ballard WMA is closed
	to flood.	arrived late last week, and	due to flooding, until
		possibly this week as well.	further notice. By
		Birds are scattered all	regulation, Ballard
		over the area, and the	WMA becomes entirely
		count was not possible.	refuge during
			backwater events.
Boatwright WMA	Not Surveyed		Survey not possible due
			to flooding. Boatwright
			WMA hunters must still
			check in each day, as
			the area remains open
			during backwater. See
			the hunting guide
			online for specific
			backwater rules on the
			area.
Duck Island	Not surveyed		
Doug Travis WMA	Not Surveyed		
Sloughs WMA	Ducks: 18,637	98% mallards, 2% mix of	Many of the less cold-
	CA geese: 272	pintail, black duck and	hardy duck species
	WF Geese: 9,860	gadwall.	have left the area,
	Snow Geese: 4,540		however, a new push of
	Swans: 129		mallards have arrived,
			along with large flocks

			of geese. At the time of
			the survey, nearly all
			open water was frozen,
			with the exception of
			the main channel of
			Pond Creek and pockets
			of the Pond Creek
			marsh complex where
			large numbers of
			waterfowl have kept
			water open. Reported
			snow goose numbers
			may be
			underestimated, as
			several thousands were
			seen yesterday evening
			returning to the refuge
			to roost. Canada goose
			numbers also are likely
			underestimated, as
			Canadas were mixed
			with large flocks of
			white-fronted geese,
			which made counting
			difficult following large
			flushes. Once again,
			the Ohio River is rising,
			with prediction of
			nearly 39' at JT Meyer
			by Saturday.
Barren River Lake WMA	Ducks: 785	75% mallards and black	Peters Creek MSU 80%
	CA Goose: 235	ducks, 25% redhead,	full, Long Creek- Calvert
	Sandhill Cranes:	bufflehead, scaup, ring-	Springs main unit 100%
	3,003	necked duck, &	and units above and
	3,000	goldeneye.	below the main spring
		go.d.oeye.	80-100%% full. Milo,
			corn, soybeans, and
			moist soil plants in
			excellent condition and
			in standing water.
			MSUs off hwy 100 are
			70-100% full, with
			soybeans, and MSU
			plants in great
			condition. Lake is 17.7'
			above winter pool, at
			545.7' (1/22/19).
			J7J.1 (1/22/1J).

Peabody WMA	Not Surveyed		
Yellowbank WMA	815 ducks	85% mallard, 5% black	Most moist-soil units/
		duck, 5% pintail, 5% other	flooded fields are at
		dabbling ducks	maximum water
			capacity.
Cave Run Lake	216 ducks	70% divers, mostly	Lake levels still high and
	800 CA goose	Canvasback and	the river is full and
		bufflehead. 20% puddle	flowing hard as they
		ducks and 10%	pull water from the
		mergansers.	lake.
Blue Grass Army Depot	Not surveyed		
Herrington Lake	Not surveyed		

January 31, 2019 Kentucky Waterfowl Ground Counts

This is the winter-waterfowl ground count survey for January 28 – February 1, 2019. As duck season is now closed, some extreme cold has finally swept across the country. The Ohio and Mississippi rivers are both still out of their banks, providing some open water during the extreme cold. **Ballard WMA remains closed, and the youth hunts will be cancelled this year. Any youth hunter drawn will get the preference points back and will be issued one more, as if they were not drawn.**

Most of the lakes across the state are still well above winter pool. Most of the state's wetlands are still in above average condition, though currently frozen if protected from moving water. Moist soil food is still in abundance across the state, and crops are still providing food on most areas. Overall, conditions for ducks and geese are good.

The Kentucky 2018-19 duck and goose seasons opened Thursday, November 22. The first duck season segment closed on Sunday, November 25. The second segment of duck and season opened December 3 and closed Sunday, January 27. The western youth zone hunts will be Saturday and Sunday, February 2-3, 2019. The goose season will remain open until Friday, February 15, 2019. Good luck to all the youth hunters this weekend, and to goose hunters as well. As always, be safe and enjoy your time afield the rest of the hunting season.

Location	Number	Species Composition	Comments
Ballard WMA	Not Surveyed due to flood.	A good push of birds arrived late last week, and possibly this week as well. Birds are scattered all over the area, and the count was not possible.	Ballard WMA is closed due to flooding, until further notice. By regulation, Ballard WMA becomes entirely refuge during backwater events.
Boatwright WMA	Not Surveyed		Survey not possible due to flooding. Boatwright WMA hunters must still check in each day, as the area remains open during backwater. See the hunting guide online for specific backwater rules on the area.
Duck Island	Not surveyed		
Doug Travis WMA	Not Surveyed		
Sloughs WMA	Ducks: 19,107 CA geese: 280 WF Geese: 14,600 Snow Geese: 150 Swans: 128	95% mallards, 5% green- winged teal, pintails, black ducks, and a few gadwall.	Except where waterfowl had kept it open, all shallow water on the refuge was frozen at the time of the survey. Consequently, nearly all of the white-fronted

		1	
			geese and ducks were
			observed concentrated
			on three separate open
			water holes along the
			Pond Creek marsh
			complex, specifically in
			areas where they were
			both blocked from the
			wind and in direct
			sunshine. A few
			thousand white-fronts
			and ducks were also
			observed within the
			willow thickets in
			Muddy Slough. The
			only snow geese seen
			during the survey were
			flying, however, large
			numbers of snow geese
			continue to fly in to the
			refuge during the
			afternoon to roost. The
			Ohio River remains high
			(41' at JT Meyer Dam),
			but is expected to begin
			falling by Saturday.
			Warm temperatures
			are also expected to
D D: 1 1 14/044	6 11:11.6		return by the weekend.
Barren River Lake WMA	Sandhill Cranes:		Peters Creek MSU 80%
	3,003		full, Long Creek- Calvert
			Springs main unit 100%
			and units above and
			below the main spring
			80-100%% full. Milo,
			corn, soybeans, and
			moist soil plants in
			excellent condition and
			in standing water.
			MSUs off hwy 100 are
			70-100% full, with
			soybeans, and MSU
			plants in great
			condition. Lake is 22.9'
			above winter pool, at
			55.9' (1/28/19).
Peabody WMA	Not Surveyed		

Yellowbank WMA	Not Surveyed		
Cave Run Lake	Ducks: 493	350 Mallards, 60	
	CA Geese: 800	Canvasback, 50	
		Bufflehead, 13 Red Head,	
		10 Scaup and 10 Hooded	
		Mergs.	
Blue Grass Army Depot	Not surveyed		
Herrington Lake	Not surveyed		