## November 27, 2019 Kentucky Waterfowl Ground Counts

Opening day is almost here, and weather predictions look normal for late November, but as always in KY... ever changing. Winds will start out from the North on Thursday, but move each day during the opening segment of the season. Friday should see an East wind, Saturday from the South, and then from the West on Sunday.

This year has been a year of extremes. Flooding that began last duck season persisted into mid-July along the big rivers, especially on areas along the lower Ohio and Mississippi Rivers. When the rain finally stopped... it stopped for two months (+/- check local listings). Rains picked back up this fall, just in time for an early arctic blast to hit in early November.

Habitat across the state varies from excellent to poor, with most areas on the high side of the scale. Many areas along the big rivers or at Duck Island do not have grain crops for waterfowl food plots this year. The flooding persisted so long that crops either could not be planted or did not do well by being planted so late. Again, this varies. Most areas were able to plant some crops, and several stands did well... but there are many spots that the crops either were not planted were out competed by native moist soil vegetation. The extreme weather did however invigorate the moist soil vegetation that grows naturally in these wet areas. Moist soil plants, which are the backbone of waterfowl management, thrived this year! Wild Millets, Panic grass, Sprangletop, sedges, smartweeds and toothcup thrived, leaving impressive amounts of food available this winter. Moist soil plants provide more protein and amino acids than any crop can produce. The bugs and invertebrates that inhabit these plants are also extremely important forage. Wetland conditions and food availability are set for a productive waterfowl season.

Duck season will begin on Thanksgiving Day, with the first segment running from November 28 – December 1. The second segment of duck seson opens on December 7<sup>th</sup>, and NEW THIS YEAR, will run until January 31, 2020. Goose season will open November 28, 2019 and will remain open until February 15, 2020. The western zone youth hunt will be February 1-2, 2020. Also new this year is the daily bag limit reduction from 2 birds to 1 for Northern Pintail. All other bag limits remain the same.

We wish everyone great luck this year. Be safe, and enjoy your time afield.

Location	Number	Species Composition	Comments
Ballard	18,074 ducks	96% Mallard, 2% GW Teal	Habitat on Ballard is
	58 CA geese	2% mixed Gadwall, Wood	looking great. We have
	10 WF geese	Duck, Pintail, Black Duck,	an abundance of moist
11/22/2019		Ring-neck, Ruddy and	soil
		Hooded Merganser	vegetation. Thursday
			morning to Friday
			morning, we received
			over 2 inches of rain
			leaving water ponding in
			fields and creating new
			loafing/foraging
			areas. Ducks are spread
			out across entire area.
Boatwright	969 Ducks	99% Mallard, 1% Gadwall,	Birds were holding tight
		Wood duck and Black Duck	to cover making an
			accurate survey
11/22/2019			difficult. Good water
			levels in most areas, &
			abundant food
			availability with moist

verall, ood MA. is are
MA.
s are
is year
flood
ought
or
by
natural
cres of
was
ination
poor.
poor.
f water
our
ual
llow
Vater
water ment
can be
mal.
to
ducks
and in
Camp
int of
ral
a tha
e the
rating.
rating. ts are
rating. ts are dy to
rating. ts are dy to oods,
trating. ts are dy to oods, Milner
trating. ts are dy to bods, Milner ts are
trating. ts are dy to cods, Wilner ts are ave
trating. ts are dy to bods, Vilner ts are ave
trating. ts are dy to cods, Wilner ts are ave
trating. ts are dy to cods, Milner ts are ave vater ake
trating. ts are dy to cods, Milner ts are ave vater ake
trating. ts are dy to bods, Wilner ts are ave vater ake ndian
trating. ts are dy to cods, Wilner ts are ave vater ake ndian rea
trating. ts are dy to bods, Wilner ts are ave vater ake ndian
trating. ts are dy to cods, Wilner ts are ave vater ake ndian rea
trating. ts are dy to cods, Milner ts are ave vater ake ndian ea re 60% are

Sloughs WMA  11/25/2019	4,500 ducks 45 CA geese 6,000 WF geese 2,000 snow geese 175 Tundra swans	90% Mallard, 5% Gadwall, 5% Shoveler, greenwing teal, ringneck, and Pintail	Habitat looks pretty good. There is an abundance of moist soil vegetation available, but water management continues to be a struggle. Most Cypress sloughs systems are holding water, however some wetlands and moist soil units still need more water, as we are still working to repair wells that went down.
Peabody WMA	575 ducks	90% Mallards	We only surveyed the
11/27/2019	110 Canada geese		waterfowl refuge lakes this week. Moist soil units are mostly full & most wetlands are full or flooded from recent rains. Both the Green and Pond rivers have high water levels in the vicinity of Peabody WMA.
Yellowbank WMA  11/22/2019	225 Ducks	60% Wood Duck, 40% Mallard, 1 Sandhill Crane	Excellent moist soil plant response and standing corn in most units. A couple of units are holding 25% water capacity from rains. Pumps are running to have several acres of water before Thanksgiving opener.
Barren River Lake WMA	10 wood ducks, 100 CA Geese		Lake level is 531.1. Moist soil units are
11/26/2019			filling up slowly. Peters Creek MSU 50% full, Long Creek- Calvert

			Springs main unit 100%, other units 50-80% full.
Blue Grass Army Depot	No waterfowl		
(all lakes and ponds)	present during		
	survey.		
Herrington Lake	not surveyed		
Cave Run Lake	117 Ducks	4 mallard & 3 wood duck.	
	200 CA Geese	30 Bufflehead, 30 Hooded	
11/26/2019	500 Coots	Merganser, and 50 unknown	
		ducks.	

# December 12, 2019 Kentucky Waterfowl Ground Counts

There is an abundance of water on the landscape, brought by a large rain event over the weekend. In fact, the Ohio River is at flood stage, and is already threatening to close Ballard WMA. Boatwright and Doug Travis WMA's have roads that currently cannot be accessed. Rules for hunting in flood conditions are in the waterfowl guide available online. At Doug Travis, blind owners' rights and standby procedures for designated blind sites will remain unchanged during high water, including for hunters using boats to access sites normally reached by walking or wading. On impoundments with designated blind sites, waterfowl hunters must hunt within 10 yards of the designated blind site, even during high water. Walk-in hunting units will remain open to walk-in/boat-in hunting as appropriate and closed rest area boundaries will remain in effect during high water. We urge hunters to use extra caution when wading or boating during high water, and to always check water depths before driving a vehicle or launching boats where water covers roads.

Duck numbers seem to be holding steady, and there are more mallards staging to our north waiting for some winter weather to send them south. Staff in Missouri have noticed the species composition changing to mostly mallards, meaning most of the early migrants have moved on. Cross your fingers for colder temps to the north, and in the meantime take advantage of the flooded conditions that are providing new food sources.

Habitat across the state varies from excellent to poor, with most areas on the high side of the scale. Many areas along the big rivers or at Duck Island do not have grain crops for waterfowl food plots this year. The flooding persisted so long that crops either could not be planted or did not do well by being planted so late. Again, this varies. Most areas were able to plant some crops, and several stands did well... but there are many spots that the crops either were not planted were out competed by native moist soil vegetation. The extreme weather did however invigorate the moist soil vegetation that grows naturally in these wet areas. Moist soil plants, which are the backbone of waterfowl management, thrived this year! Wild Millets, Panic grass, Sprangletop, sedges, smartweeds and toothcup thrived, leaving impressive amounts of food available this winter. Moist soil plants provide more protein and amino acids than any crop can produce. The bugs and invertebrates that inhabit these plants are also extremely important forage. Wetland conditions and food availability are set for a productive waterfowl season.

Location	Number	Species Composition	Comments
Ballard	24,107 ducks	95% Mallard, 3% Gadwall,	The Ohio River is
	125 CA geese	2% Ring-neck, Green Wing,	pushing in from the
	2,750 WF geese	Wigeon, Wood Duck, Black	south and north, adding
12/6/2019		Duck, Ruddy Duck and	more water to areas in
		Hooded Merganser.	between. Watch the
			Ballard WMA Facebook
			page or the KDFWR
			website for updates.
			Habitat on Ballard is
			looking great. We have
			an abundance of moist
			soil vegetation.

Boatwright	2,444 Ducks	97% Mallard, 3% green-wing	Survey route was mostly
Dodtwiight	2,444 Ducks	teal, pintail and wigeon.	flooded. Freshly flooded
12/6/2019		tear, piritan and Wigeon.	habitat from high river,
12, 0, 2013			leaving good food
			abundance throughout
			the area.
			tile area.
Duck Island	2300 ducks	98% Mallards	Water conditions are
		2% Pintail, Ringneck,	good. Habitat this year
		Canvasback, Bufflehead,	is fair. Very late flood
		Gadwall	followed by a drought
12/4/2019			resulted in poor
, ,			response even by
			normally reliable natural
			vegetation. 40 acres of
			Japanese millet was
			seeded, but germination
			and growth was poor.
Doug Travis WMA	3000 Ducks	95% Mallard, 5% mixed	On Tuesday, December
		dabblers	3, the river gage at
		dubblets	Cairo, Illinois was 40.55
		Much of the area south of	feet, predicted to rise to
			near 42 feet by
12/2/2019		Fish Lake Road could not be	December 5, then to
, _, _, _, _,		surveyed due to flooding.	remain at that level for
			several days before
			falling. At 38.5 feet,
			vehicular access to blind
			sites 16 and 17 was cut
			off by flooding. At 42
			feet, water will likely be
			across the Fish Lake
			Road just west of the
			Fish Lake bridge. This
			will affect vehicular
			access to blind sites 5-9
			and 11-14, including the
			Disabled Access blind,
			#13. At 42 feet, water
			will also be across the
			gravel road leading to
			the Indian Camp Slough
			boat ramp (blind sites 3,
Cloudbe MAAA	10.350 decales	020/ Malland FO/ Carlo - II	4, and 10).
Sloughs WMA	10,250 ducks	92% Mallard, 5% Gadwall,	Habitat on Sloughs is
	45 CA geese	3% greenwing teal,	looking very good.
12/2/2010	6,000 WF geese		We have an
12/2/2019			

2,000 snows 175 Tundra swans 175 Tundra soil vegetation and water has risen considerably with the 3 inches of rain over the Thanksgiving Holiday Weekend. During our survey period, birds were active over a large portion of the area using the newly added water and food.  Peabody WMA 199 ducks 135 Canada geese 132/4/2019 80% Mallards, 20% gadwall and shovelers, & 15 divers. Full of water. The Green and Pond rivers are full and providing some backwater situations. Excellent moist soil plant response and standing corn in most units. Most moist soil units are at maximum capacity, except for several of our larger units.  Barren River Lake WMA 50 ducks 80 CA geese 435 Sandhill Cranes Mallards, wood ducks, redheads and hooded mergansers noted. (417.1). Moist soil units are filling up slowly. Peters Creek MSU 80% full. Long Creek- Calvert Springs main unit 100%, other units 75-80% full.  Blue Grass Army Depot (all lakes and ponds) 9 bufflehead 8 CA geese 12/3/2019 Herrington Lake 112 Ducks 200 CA Geese 2 2 Swan 2 Scaup 12/5/2019 Lake is at 730.6′, which is 6.6′ from winter pool.		2 000		
Peabody WMA  199 ducks 135 Canada geese 12/4/2019  Yellowbank WMA  450 Ducks  Yellowbank WMA  450 Ducks  12/5/2019  Barren River Lake WMA  12/3/2019  Barren River Lake WMA  12/3/2019  Barren River Lake WMA  Cranes  Soloto dabblers and divers A35 Sandhill Cranes  Folloto dabblers and divers Mallards, 20% gadwall and providing some backwater situations.  Excellent moist soil plant response and standing corn in most units. Most moist soil units are at maximum capacity, except for several of our larger units.  Lake level is 545.1 (+17.1). Moist soil units are filling up slowly. Peters Creek MSU 80% full, Long Creek- Calvert Springs main unit 100%, other units 75-80% full.  Blue Grass Army Depot (all lakes and ponds)  12/3/2019  Herrington Lake  Cave Run Lake  112 Ducks 200 CA Geese 2 Swan  2 scaup  All moist soil units are full and providing some backwater situations.  Excellent moist soil units are till and providing some backwater situations.  Excellent moist soil units are till and providing some backwater situations.  Excellent moist soil units are at maximum capacity, except for several of our larger units.  Lake level is 545.1 (+17.1). Moist soil units are at maximum capacity, except for several of our larger units.  Lake level is 545.1 (+17.1). Moist soil units are filling up slowly. Peters Creek MSU 80% full, Long Creek- Calvert Springs main unit 100%, other units 75-80% full.			widgeon, black ducks and pintail	water has risen considerably with the 3 inches of rain over the Thanksgiving Holiday Weekend. During our survey period, birds were active over a large portion of the area using the newly added
135 Canada geese 12/4/2019  136 Canada geese 12/4/2019  12/4/2019  137 Canada geese 12/4/2019  138 Canada geese 12/4/2019  139 Canada geese 12/4/2019  139 Canada geese 12/4/2019  130 Canada geese 12/4/2019  130 Canada geese 12/4/2019  130 Canada geese 12/4/2019  130 Canada geese 12/4/2019  131 Canada geese 132 Canada geese 132 Canada geese 133 Canada geese 145 Canada geese 150 Canada georgilla and providing some 150 Canada geese 150 Canada georgilla and providing some 150 Canada ponds other. 150 Canada geese 150 Canada providing some 150 Canada ponds other. 150 Canada ponds other. 150 Canada ponds other. 150 Canada ponds other. 150 Canada providing some 150 Canada ponds other. 160 Canada ponds other. 160 Canada ponds other. 160 Canada pon	Peabody WMA	199 ducks	80% Mallards, 20% gadwall	
Tyellowbank WMA  Yellowbank WMA  450 Ducks  Yellowbank WMA  450 Ducks  S5% Mallard, 10% pintail, 5% other.  S50 dabblers and divers Mallards, wood ducks, redheads and hooded mergansers noted.  (+17.1). Moist soil units are filling up slowly. Peters Creek MSU 80% full, Long Creek- Calvert Springs main unit 100%, other units 75-80% full.  S6% Mallard, 10% pintail, 5% other.  S6% M	Teason, www.			
other.  plant response and standing corn in most units. Most moist soil units are at maximum capacity, except for several of our larger units.  Barren River Lake WMA  Barren River Lake WMA  50 ducks 80 CA geese 435 Sandhill Cranes  Mallards, wood ducks, redheads and hooded mergansers noted.  Cranes  Blue Grass Army Depot (all lakes and ponds)  Peters Creek MSU 80% full, Long Creek- Calvert Springs main unit 100%, other units 75-80% full.  Blue Grass Army Depot (all lakes and ponds)  Cave Run Lake  112 Ducks 200 CA Geese 12/5/2019  So canvasback, 40 bufflehead, 20 ruddy ducks, 2 scaup  Lake is at 730.6', which is 6.6' from winter pool.	12/4/2019	100 camada geese	and shovelers, a 13 diversi	and Pond rivers are full and providing some
Description of the content of the co	Yellowbank WMA	450 Ducks	85% Mallard, 10% pintail, 5%	Excellent moist soil
### Description of Careese   12/5/2019   ### Description of Careese   12/5/201			other.	plant response and
80 CA geese 435 Sandhill Cranes  Mallards, wood ducks, redheads and hooded mergansers noted.  Peters Creek MSU 80% full, Long Creek- Calvert Springs main unit 100%, other units 75-80% full.  Blue Grass Army Depot (all lakes and ponds)  Peters Creek MSU 80% full, Long Creek- Calvert Springs main unit 100%, other units 75-80% full.  Peters Creek MSU 80% full, Long Creek- Calvert Springs main unit 100%, other units 75-80% full.  Peters Creek MSU 80% full, Long Creek- Calvert Springs main unit 100%, other units 75-80% full.  Some Calvert Springs main unit 100%, other units 75-80% full.  Peters Creek MSU 80% full, Long Creek- Calvert Springs main unit 100%, other units 75-80% full.  Some Calvert Springs main unit 100%,	12/5/2019			units. Most moist soil units are at maximum capacity, except for several of our larger
435 Sandhill redheads and hooded mergansers noted.  12/3/2019  Cranes  Peters Creek MSU 80% full, Long Creek- Calvert Springs main unit 100%, other units 75-80% full.  Blue Grass Army Depot (all lakes and ponds)  9 bufflehead 8 CA geese  12/3/2019  Herrington Lake  112 Ducks 200 CA Geese 200 CA Geese 12/5/2019  2 Swan  2 scaup  redheads and hooded mergansers noted.  Peters Creek MSU 80% full, Long Creek- Calvert Springs main unit 100%, other units 75-80% full.  Lake is at 730.6', which is 6.6' from winter pool.	Barren River Lake WMA		-	
(all lakes and ponds) 8 CA geese  12/3/2019  Herrington Lake  Cave Run Lake  112 Ducks 200 CA Geese 12/5/2019  2 Swan  8 CA geese  50 canvasback, 40 bufflehead, 20 ruddy ducks, is 6.6' from winter pool.	12/3/2019	435 Sandhill	redheads and hooded	are filling up slowly. Peters Creek MSU 80% full, Long Creek- Calvert Springs main unit 100%,
12/3/2019Herrington Lakenot surveyedCave Run Lake112 Ducks 200 CA Geese50 canvasback, 40 bufflehead, 20 ruddy ducks, 2 scaupLake is at 730.6', which is 6.6' from winter pool.	Blue Grass Army Depot	9 bufflehead		
Herrington Lake not surveyed  Cave Run Lake 112 Ducks 50 canvasback, 40 Lake is at 730.6', which bufflehead, 20 ruddy ducks, 12/5/2019 2 Swan 2 scaup	(all lakes and ponds)	8 CA geese		
Cave Run Lake  112 Ducks 200 CA Geese 12/5/2019  50 canvasback, 40 bufflehead, 20 ruddy ducks, is 6.6' from winter pool. 2 scaup				
200 CA Geese bufflehead, 20 ruddy ducks, is 6.6' from winter pool. 2 Swan 2 scaup	Herrington Lake	not surveyed		
· · · · · · · · · · · · · · · · · · ·		200 CA Geese	bufflehead, 20 ruddy ducks,	
	, -,		r	

## December 12, 2019 Kentucky Waterfowl Ground Counts

This the waterfowl ground survey for December 9-12, 2019. The Ohio and Mississippi River levels are finally receding, opening some of the roads back up on our westernmost WMA's. The backwater areas are receding, but there is still an abundance of sheet-water found in low areas. Duck numbers seem to be holding steady throughout most of the state. Boatwright WMA had a huge increase of birds on the area during the survey! As weather and habitat conditions change, look for birds to adapt as well. There is rain/snow in the forecast as this southerly front gives way to new weather from the west, so be ready to take advantage of waterfowl movements during this weather change.

Habitat across the state varies from excellent to poor, with most areas on the high side of the scale. Many areas along the big rivers or at Duck Island do not have grain crops for waterfowl food plots this year. The flooding persisted so long that crops either could not be planted or did not do well by being planted so late. Again, this varies. Most areas were able to plant some crops, and several stands did well... but there are many spots that the crops either were not planted were out competed by native moist soil vegetation. The extreme weather did however invigorate the moist soil vegetation that grows naturally in these wet areas. Moist soil plants, which are the backbone of waterfowl management, thrived this year! Wild Millets, Panic grass, Sprangletop, sedges, smartweeds and toothcup thrived, leaving impressive amounts of food available this winter. Moist soil plants provide more protein and amino acids than any crop can produce. The bugs and invertebrates that inhabit these plants are also extremely important forage. Wetland conditions and food availability are set for a productive waterfowl season.

Location	Number	Species Composition	Comments
Ballard	21,968 ducks	97% Mallard, 1% Gadwall,	Ducks are holding tight
	96 CA geese	2% Ring-neck, Scaup,	in refuge areas. We
	2,650 WF geese	Wigeon, Black Duck, Hooded	opened to hunting last
12/13/2019		Merganser, Wood Duck,	Saturday, and harvest
		Green-wing, Ruddy, and	numbers have varied.
		Shoveler.	Ohio River is currently
			at 33 ft and dropping.
			Water is moving out of
			areas where the river
			had backed water in.
			Moist soil food is
			abundant, and what
			small grains we were
			able to plant look great
			as well. Have had a full
			moon this week, as well
			as some freezing on
			shallow water, and I
			believe that has pushed
			ducks into feeding later

			and loafing during the
			day.
Boatwright	49,044 Ducks	74% Mallard, 12% Ring-neck,	Water levels have been
		5% Green-wing, 3% Pintail,	high on most of
12/13/2019		6% mixed Bufflehead,	Boatwright, for a couple
		Wigeon, Canvasback,	weeks. Water is moving
		Gadwall, Goldeneye, and a	back out to the River
		few unknown divers	and is helping to pull
			ducks back to the area.
			Waterfowl are moving
			back into the lakes and
			sloughs. Most birds
			were observed using
			moist-soil units and
			loafing areas around
			Swan Lake. Harvest
			numbers have varied
			daily due to full moon
			and some freezing of
			shallow water.
Duck Island	2300 ducks	98% Mallards	Water conditions are
		2% Pintail, Ringneck,	good. Habitat this year
		Canvasback, Bufflehead,	is fair. Very late flood
		Gadwall	followed by a drought
12/4/2019			resulted in poor
			response even by
			normally reliable natural
			vegetation. 40 acres of
			Japanese millet was
			seeded, but germination
			and growth was poor.
Doug Travis WMA	2900 Ducks	90% Mallard, 10% mixed	The river has subsided
_		dabblers	and is looking like it will
		dazzieis	stay in the 35' range;
		Much of the area south of	this river level will
		Fish Lake Road could not be	potentially cause road
12/11/2019		surveyed due to flooding.	flooding when traveling
		surveyed due to nooding.	to blinds 16 and 17 and
			also cause units south of
			Fish Lake road to
			potentially have
			overtopped levee's thus
			creating deeper than
			normal wading
			situations. Water north
			of Fish Lake road has
			mostly subsided but
			there could be deeper
<u> </u>			o obaia se acepei

			Ι
			than normal water in spots created by beaver dams and levees. As always, use caution when wading and driving through water across roads. 3, 4, and 10).
Sloughs WMA	12,750 ducks	92% Mallard, 5% Gadwall,	Habitat on Sloughs is
12/11/2019	205 CA geese 0 WF geese 0 snows 245 Tundra	3% greenwing teal, widgeon, black ducks and pintail	looking very good. We have had increasing amounts of usable habitat on the
	swans		area due to recent rainfall. Although at the time of the survey it showed zero Snow
			Geese or White Fronted Geese, there is an abundance of each using the area at any given time.
Peabody WMA	704 ducks	90% Mallards, 10% gadwall,	All moist soil units are
	135 Canada geese	teal, wigeon, ring-necked	full of water. Water
12/12/2019	Ü	duck.	levels are still high over most of the area which seems to have many of the ducks in back water.
Yellowbank WMA	500 Ducks	85% Mallard, 5% pintail, 5% wood duck, & 5% other.	Excellent moist soil plant response and standing corn in most
12/10/2019			units. All units are at maximum capacity.
Barren River Lake WMA	275 ducks 55 CA geese 787 Sandhill	80/20 dabblers and divers Mallards, shovelers, wood ducks, redheads and hooded	Lake level is 540.1 (+12.4). Peters Creek MSU 80% full, Long
12/12/2019	Cranes	mergansers noted.	Creek- Calvert Springs main unit 100%, other units 75-80% full.
Blue Grass Army Depot	9 bufflehead		
(all lakes and ponds)	8 CA geese		
12/3/2019			
Herrington Lake	not surveyed		

Cave Run Lake	257 Ducks	50 bufflehead, 30	Lake is at 728'.
	100 CA Geese	canvasback, 20 ruddy ducks,	
12/10/2019	6 Swan	7 Gadwall and 2 ringnecked	
	20 Coots	suck. Also 150 unidentified	
		ducks rafted on the main	
		lake, probably divers.	

## December 20, 2019 Kentucky Waterfowl Ground Counts

This the waterfowl ground survey for December 16-20, 2019. The Ohio and Mississippi River levels are rising again, but are not as bad as in early December. Doug Travis and Boatwright WMA's will have some roads effected by backwater, but not all. The rain earlier this week provided ample sheet water across the landscape. Smaller rivers such as the Rolling Fork, have provided a tremendous amount of habitat that is usually not available. The cold snap this week also brought our first real ice. Most shallow water, and water bodies protected from wind were frozen yesterday and today. Unfortunately.... Mild weather is predicted to follow. As weather and habitat conditions change, look for birds to adapt as well.

Habitat across the state varies from excellent to poor, with most areas on the high side of the scale. Many areas along the big rivers or at Duck Island do not have grain crops for waterfowl food plots this year. The flooding persisted so long that crops either could not be planted or did not do well by being planted so late. Again, this varies. Most areas were able to plant some crops, and several stands did well... but there are many spots that the crops either were not planted were out competed by native moist soil vegetation. The extreme weather did however invigorate the moist soil vegetation that grows naturally in these wet areas. Moist soil plants, which are the backbone of waterfowl management, thrived this year! Wild Millets, Panic grass, Sprangletop, sedges, smartweeds and toothcup thrived, leaving impressive amounts of food available this winter. Moist soil plants provide more protein and amino acids than any crop can produce. The bugs and invertebrates that inhabit these plants are also extremely important forage. Wetland conditions and food availability are set for a productive waterfowl season.

Location	Number	Species Composition	Comments
Ballard	46,438 ducks	96% Mallard, 1% Gadwall,	Birds sitting in large
	96 CA geese	1% Ring-neck, 2% Scaup,	numbers holding water
	2,650 WF geese	Shoveler, Wigeon, GW Teal,	holes open. Moist soil
12/20/2019		Pintail, Black Duck, Hooded	habitat is abundant,
		Merganser, Wood Duck and	higher ridge crops are
		Ruddy	good.
			Currently watching river
			forecast for flooding.
			Hunting has been slow
			since Wednesday,
			hoping for a weather
			change to get birds
			moving.
Boatwright	14,901 Ducks	87% Mallard, 11% Ring-neck,	Below freezing temps
		Scaup and Canvasback, 2%	last few days have
12/20/2019		Pintail, GW Teal, Gadwall,	frozen over many
		Wigeon, Bufflehead, Hooded	shallow water spots and
		Merganser and Black Duck.	some larger bodies of
			water.

		Г	
			River is on the rise
			again, supposed to crest
			at 38.5 ft early next
			week.
			There is a great
			abundance of moist soil
			vegetation with the
			river flooding fallow
			fields. Row crops are
			available as well.
Duck Island	2300 ducks	98% Mallards	Water conditions are
		2% Pintail, Ringneck,	good. Habitat this year
		Canvasback, Bufflehead,	is fair. Very late flood
		Gadwall	followed by a drought
12/4/2019			resulted in poor
			response even by
			normally reliable natural
			vegetation. 40 acres of
			Japanese millet was
			seeded, but germination
D T : 14/0.44	10 200 5	000(14 11 140( 141)	and growth was poor.
Doug Travis WMA	10,300 Ducks	98% Mallard, 1% pintail	Most ducks are
		and mixed divers	concentrated in the
			Indian Camp Rest Area
			east of Fish Lake, with small numbers in the
12/19/2019			Willow Slough and Town
12/13/2013			Creek areas. Skim ice
			was prevalent on much
			of the WMA 12/19,
			although most of the
			lakes had sections of
			open water. The river is
			forecast to rise to 38.0
			at Cairo next week, this
			will likely flood the
			gravel road to blinds 16
			& 17, but should not
			flood Fish Lake Road.
Sloughs WMA	10,700 ducks	92% Mallard, 5% Gadwall,	The survey at sloughs
-	162 CA geese	3% greenwing teal,	WMA was held on a
	1,850 WF geese	widgeon, black ducks and	Dreary, rainy Monday
12/16/2019	3,220 snows	pintail	for the region. Birds
	210 Tundra	·	were active most of
	swans		the day with a low
			ceiling and heavy
			cloud cover. A cold
	l		cioud cover. A colu

		T	
			weather front is
			pushing through the
			region with lows
			expected in the lower
			20's midweek.
			Habitat on Sloughs is
			still looking very good
			with Pond Creek
			Marsh elevated
			making food readily
			available. During our
			survey period, birds
			were seen over much
			of the refuge. White
			Fronted Geese and
			Snow geese continue
			to trade back and
			forth in the area
			feeding on waste
			_
			grain and adjacent fields with an
			abundance of each
			using the area at any
			given time. River
			Stages had receded
			from previous flood
			conditions but are
			increasing and
			predicted to steadily
			increase up until
			December 24. Happy
			hunting.
Peabody WMA	793 ducks	75% Mallards, 25% gadwall	All moist soil units are
	177 Canada geese	& ring-necked ducks.	full of water.
10/16/22:2	2 Swans		
12/19/2019	600 5 1	OFO( Mailland FO( 11 4 400)	Free Heat water 2
Yellowbank WMA	600 Ducks	85% Mallard, 5% pintail, 10%	Excellent moist soil
		gadwall.	plant response and standing corn in most
12/16/2019			units. All units are at
12/10/2013			maximum capacity.
Barren River Lake WMA	275 ducks	80/20 dabblers and divers	Lake level is 540.1
Tarrett Lanc WIVIT	55 CA geese	Mallards, shovelers, wood	(+12.4). Peters Creek
	787 Sandhill	ducks, redheads and hooded	MSU 80% full, Long
12/12/2019	Cranes	mergansers noted.	Creek- Calvert Springs
. ,	1	<u> </u>	1 0-

			main unit 100%, other units 75-80% full.
Blue Grass Army Depot (all lakes and ponds)	not surveyed		
Herrington Lake	not surveyed		
Cave Run Lake	230 ducks	45 Bufflehead, 50	Lake level is 733.3,
		Canvasback. 2 scaup, and 13	providing lots of flooded
12/17/2019		mergansers. 120 unknown	habitat in the backs of
		species rafted on the lake.	coves. All the small
			lakes and ponds are
		(12/20 found 200-300	froze (12/20/2019).
		Mallards, and large groups	
		of CA geese at the dam.	

# December 20, 2019 Kentucky Waterfowl Ground Counts

This the waterfowl ground survey for December 23-27, 2019. Many folks will be off for the holidays, so forgive us if the list is incomplete this week. The Ohio River gauge at Cairo, IL has just about crested, and should begin to fall around the 26<sup>th</sup>. Doug Travis and Boatwright WMA's will have some roads effected by backwater. Mild weather is predicted for the week. As weather and habitat conditions change, look for birds to adapt as well.

Habitat across the state varies from excellent to poor, with most areas on the high side of the scale. Many areas along the big rivers or at Duck Island do not have grain crops for waterfowl food plots this year. The flooding persisted so long that crops either could not be planted or did not do well by being planted so late. Again, this varies. Most areas were able to plant some crops, and several stands did well... but there are many spots that the crops either were not planted were out competed by native moist soil vegetation. The extreme weather did however invigorate the moist soil vegetation that grows naturally in these wet areas. Moist soil plants, which are the backbone of waterfowl management, thrived this year! Wild Millets, Panic grass, Sprangletop, sedges, smartweeds and toothcup thrived, leaving impressive amounts of food available this winter. Moist soil plants provide more protein and amino acids than any crop can produce. The bugs and invertebrates that inhabit these plants are also extremely important forage. Wetland conditions and food availability are set for a productive waterfowl season.

Location	Number	Species Composition	Comments
Ballard	46,438 ducks	96% Mallard, 1% Gadwall,	Birds sitting in large
	96 CA geese	1% Ring-neck, 2% Scaup,	numbers holding water
	2,650 WF geese	Shoveler, Wigeon, GW Teal,	holes open. Moist soil
12/20/2019		Pintail, Black Duck, Hooded	habitat is abundant,
		Merganser, Wood Duck and	higher ridge crops are
		Ruddy	good.
			Currently watching river
			forecast for flooding.
			Hunting has been slow
			since Wednesday,
			hoping for a weather
			change to get birds
			moving.
Boatwright	14,901 Ducks	87% Mallard, 11% Ring-neck,	Below freezing temps
		Scaup and Canvasback, 2%	last few days have
12/20/2019		Pintail, GW Teal, Gadwall,	frozen over many
		Wigeon, Bufflehead, Hooded	shallow water spots and
		Merganser and Black Duck.	some larger bodies of
			water.
			River is on the rise
			again, supposed to crest
			at 38.5 ft early next
			week.

			T _, .
			There is a great
			abundance of moist soil
			vegetation with the
			river flooding fallow
			fields. Row crops are
			available as well.
Duck Island	2300 ducks	98% Mallards	Water conditions are
		2% Pintail, Ringneck,	good. Habitat this year
		Canvasback, Bufflehead,	is fair. Very late flood
		Gadwall	followed by a drought
12/4/2019			resulted in poor
			response even by
			normally reliable natural
			vegetation. 40 acres of
			Japanese millet was
			seeded, but germination
	10.222.5	000/14 11 1 155	and growth was poor.
Doug Travis WMA	10,300 Ducks	98% Mallard, 1% pintail	Most ducks are
		and mixed divers	concentrated in the
			Indian Camp Rest Area
			east of Fish Lake, with
42/40/2040			small numbers in the
12/19/2019			Willow Slough and Town
			Creek areas. Skim ice
			was prevalent on much
			of the WMA 12/19, although most of the
			lakes had sections of
			open water. The river is
			forecast to rise to 38.0
			at Cairo next week, this
			will likely flood the
			gravel road to blinds 16
			& 17, but should not
			flood Fish Lake Road.
Sloughs WMA	10,700 ducks	92% Mallard, 5% Gadwall,	The survey at sloughs
0.000.00 *******	162 CA geese	3% greenwing teal,	WMA was held on a
	1,850 WF geese	widgeon, black ducks and	Dreary, rainy Monday
12/16/2019	•	•	
	3,220 snows 210 Tundra	pintail	for the region. Birds were active most of
	swans		the day with a low
			ceiling and heavy
			cloud cover. A cold
			weather front is
			pushing through the
			region with lows

			over a start in the larger
			expected in the lower
			20's midweek.
			Habitat on Sloughs is
			still looking very good
			with Pond Creek
			Marsh elevated
			making food readily
			available. During our
			survey period, birds
			were seen over much
			of the refuge. White
			Fronted Geese and
			Snow geese continue
			to trade back and
			forth in the area
			feeding on waste
			grain and adjacent
			fields with an
			abundance of each
			using the area at any
			given time. River
			Stages had receded
			from previous flood
			conditions but are
			increasing and
			=
			predicted to steadily
			increase up until
			December 24. Happy
Doob ody MAA	702 duales	750/ Mallards 250/ gadwall	hunting.  All moist soil units are
Peabody WMA	793 ducks 177 Canada geese	75% Mallards, 25% gadwall & ring-necked ducks.	full of water.
	2 Swans	& Hilg-Hecked ducks.	Tull of water.
12/19/2019	2 3 7 7 1 1 3		
Yellowbank WMA	800 Ducks	85% Mallard, 5% black duck,	Excellent moist soil
		10% gadwall and other	plant response and
			standing corn in most
12/23/2019			units. All units are at
			maximum capacity.
Barren River Lake WMA	275 ducks	80/20 dabblers and divers	Lake level is 540.1
	55 CA geese	Mallards, shovelers, wood	(+12.4). Peters Creek
42/42/2242	787 Sandhill	ducks, redheads and hooded	MSU 80% full, Long
12/12/2019	Cranes	mergansers noted.	Creek- Calvert Springs
			main unit 100%, other units 75-80% full.
Blue Grass Army Depot	not surveyed		uiiits / 3-00% IUII.
Dide Grass Army Depot	not surveyed		

(all lakes and ponds)			
Herrington Lake	not surveyed		
Cave Run Lake	230 ducks	45 Bufflehead, 50	Lake level is 733.3,
		Canvasback. 2 scaup, and 13	providing lots of flooded
12/17/2019		mergansers. 120 unknown	habitat in the backs of
		species rafted on the lake.	coves. All the small
			lakes and ponds are
		(12/20 found 200-300	froze (12/20/2019).
		Mallards, and large groups	
		of CA geese at the dam.	

#### January 3, 2020 Kentucky Waterfowl Ground Counts

This the first waterfowl ground survey for the 2020 decade. Many folks are off for the holidays, so forgive us if the list is incomplete again this week. The Ohio River gauge at Cairo, IL is once again threatening to close Ballard WMA. The river is scheduled to crest over 43' on Sunday. Staff are expecting this event to close Ballard either Saturday or Sunday. We will advertise the closure on the department webpage, the Ballard WMA Facebook page, and the KDFWR main Facebook page. Hunters may also call the Ballard Waterfowl Hotline, 270-224-2244 ext. 1 to get updates. Doug Travis and Boatwright WMA's have roads effected by backwater, so be careful trying to access these WMA's and be aware of the rules that apply during floodwater conditions. See the waterfowl guide online for more info, available on our website.

Habitat across the state is still holding on strong. There was ample moist soil vegetation on most areas and hunt units going into the season, and most of these are still full of food.

Location	Number	Species Composition	Comments
Ballard	not surveyed due		Due to water being over
	to floods		roads at Boatwright and
			now Ballard, we did not
1/3/2020			do a count today. Ohio
			River is predicted to
			crest at 44' by Monday
			Jan 6. It's currently 42'
			at 12:00 PM today.
Boatwright	not surveyed due		Due to water being over
	to floods		roads at Boatwright and
1/3/2020			now Ballard, we did not
			do a count today. Ohio
			River is predicted to
			crest at 44' by Monday
			Jan 6. It's currently 42'
			at 12:00 PM today.
Duck Island	not surveyed		
Doug Travis WMA	9,500 Ducks	90% Mallard, 7% mixed	At the time of survey,
		divers, and 3% mixed	the river gauge at Cairo
		puddlers	is forecasted to rise to
		·	43.5 feet; water begins
			to cross the road near
1/2/2020			the fish lake bridge at
			41-42 feet.
Sloughs WMA	10,700 ducks	92% Mallard, 5% Gadwall,	The survey at sloughs
	162 CA geese	3% greenwing teal,	WMA was held on a
	1,850 WF geese		Dreary, rainy Monday

12/16/2019	3,220 snows 210 Tundra swans	widgeon, black ducks and pintail	for the region. Birds were active most of the day with a low ceiling and heavy cloud cover. A cold weather front is pushing through the region with lows expected in the lower 20's midweek. Habitat on Sloughs is still looking very good with Pond Creek Marsh elevated making food readily available. During our survey period, birds were seen over much of the refuge. White Fronted Geese and Snow geese continue to trade back and forth in the area feeding on waste grain and adjacent fields with an abundance of each using the area at any given time. River Stages had receded from previous flood conditions but are increasing and predicted to steadily increase up until December 24. Happy hunting.
Peabody WMA	793 ducks 177 Canada geese 2 Swans	75% Mallards, 25% gadwall & ring-necked ducks.	All moist soil units are full of water.
12/19/2019			
Yellowbank WMA	500 Ducks	85% Mallard, 10% gadwall	All units are at
. /a /a a -		and 5% other	maximum capacity.
1/2/2020			

Barren River Lake WMA	275 ducks	80/20 dabblers and divers	12/24/2019: Lake level
	55 CA geese	Mallards, shovelers, wood	is 549 (+21.0).
		ducks, redheads and hooded	
12/12/2019 last duck	12/23/2019:	mergansers noted.	Peters Creek MSU 80%
survey	449 Sandhill		full, Long Creek- Calvert
	Cranes		Springs main unit 100%,
			other units 75-80% full.
Blue Grass Army Depot	not surveyed		
(all lakes and ponds)			
Herrington Lake	not surveyed		
Cave Run Lake	50 ducks	20 bufflehead, 10 ruddy	Lake level is 737,
		ducks, 20 unknown species	Outflow – 2699 at 6
1/2/2020	50 CA goose		a.m. Lake levels made
			access to usual survey
			viewing locations not
			possible.

#### January 10, 2020 Kentucky Waterfowl Ground Counts

This is the grount count survey for January 6-10, 2020. There is an abundance of water on the landscape, and many areas could not survey because of flooding. Many lakes and reservoirs are well above summer pool. Most rivers are swollen if not already out of their banks. Ballard WMA closed on Saturday, 1/4, and will remain closed until it is safe for hunters to acess. We will advertise details or on the department webpage, the Ballard WMA Facebook page, and the KDFWR main Facebook page. Hunters may also call the Ballard Waterfowl Hotline, 270-224-2244 ext. 1 to get updates. Doug Travis and Boatwright WMA's have roads effected by backwater, so be careful trying to access these WMA's and be aware of the rules that apply during floodwater conditions. See the waterfowl guide online for more info, available on our website. We also flew the aerial mid-winter waterfowl survey this week. Check that report out online as well.

Habitat across the state is still holding on strong. There was ample moist soil vegetation on most areas and hunt units going into the season, and most of these are still full of food.

Location	Number	Species Composition	Comments
Ballard	not surveyed due to floods		Due to water being over roads at Boatwright and
1/10/2020			Ballard, we did not do a count today.
Boatwright	not surveyed due to floods		Due to water being over roads at Boatwright and
1/10/2020			Ballard, we did not do a count today
Duck Island	not surveyed		
Doug Travis WMA	not surveyed due to floods		No survey this week due to high water. All access
1/10/2020	,		is by boat until the river recedes below ~41ft.
Sloughs WMA  1/6/2020	6,500 ducks 62 CA geese 7,400 WF geese 7,000 snows 45 Tundra swans	92% Mallard, 5% Gadwall, 3% teal including a group of 25 blue wings, widgeon, black ducks and pintail	The survey at sloughs WMA was held on a Blue bird sunny day. Birds were not active, most being observed in flooded buttonbush and standing timber. A warm front is expected to push through the region Thursday with highs in the upper 50's to low 60's, and a high probability of rain

			through Saturday. Habitat on Sloughs is
			still looking very good with Pond Creek Marsh
			elevated, making food readily available. Geese
			continue to trade back and forth on the area
			feeding on waste grain and adjacent fields.
			River Stages have receded from an
			elevated condition but
			are expected to increase with the predicted 4-6
			inch rain though Saturday.
Peabody WMA	793 ducks 177 Canada geese 2 Swans	75% Mallards, 25% gadwall & ring-necked ducks.	All moist soil units are full of water.
12/19/2019	2 3 11 3 11		
Yellowbank WMA	500 Ducks	85% Mallard, 10% gadwall	All units are at
1/2/2020		and 5% other	maximum capacity.
Barren River Lake WMA	not surveyed		
Blue Grass Army Depot (all lakes and ponds)	not surveyed		
Herrington Lake	not surveyed		
Green River Lake	Low numbers		Green River Lake level is currently 24 feet above
	being seen, though finding		summer pool and is
1/6/2020	them is difficult		expected to rise with
	with all the		predicted rain starting
	flooded habitat available.		Friday. Most blind sites in the bottoms are
	avanabie.		already under water, as
			are the sites on the lake.
			There are not many
			options for launching a
			boat as most boat ramps are closed due to
			flooding.
Cave Run Lake	50 ducks	20 bufflehead, 10 ruddy	Lake level is 737,
1/2/2020	EO CA 22222	ducks, 20 unknown species	Outflow – 2699 at 6
1/2/2020	50 CA goose		a.m. Lake levels made

	access to usual survey
	viewing locations not
	possible.

#### January 31, 2020 Kentucky Waterfowl Ground Counts

This is the ground count survey for January 27-31, 2020. Temps have stayed fairly mild, though cooler than what we have been experiencing most of the winter. The rains have held off, allowing swollen rivers to reside some. Lake levels continue to remain high; many remain well above normal levels. There is still an abundance of backwater habitat still present. We hope that your duck season finished strong!

Ballard WMA closed on Saturday, 1/4, and finally reopened to hunters on the 29th. We look forward to seeing the results after three weeks of rest. Doug Travis and Boatwright WMA's have roads effected by backwater, so be careful trying to access these WMA's and be aware of the rules that apply during floodwater conditions. See the waterfowl guide online for more info, available on our website.

Habitat across the state is still holding on strong. There was ample moist soil vegetation on most areas and hunt units going into the season, and most of these are still full of food.

Duck season began on Thanksgiving Day, with the first segment running from November 28 – December 1. The second segment of duck season opened on December 7<sup>th</sup>, and NEW THIS YEAR, will run until January 31, 2020. Goose season opened November 28, 2019 and will remain open until February 15, 2020. The western zone youth hunt will be February 1-2, 2020. Also new this year, is the daily bag limit reduction from 2 birds to 1 for Northern Pintail. All other bag limits remain the same. We hope you experienced some luck this year. Even without the heavy straps, I hope you all got to experience some time outdoors with friends and family. Be safe, and enjoy your time afield.

Location	Number	Species Composition	Comments
Ballard	not surveyed due to flood cleanup		Ballard is reopened, but staff did not have time to do a survey this
1/10/2020			week.
Boatwright 1/10/2020	not surveyed due to floods		Due to water being over roads at Boatwright, we did not do a count
1/10/2020			today.
Duck Island	not surveyed		
Doug Travis WMA	not surveyed due to floods		No survey this week due to high water. All access
1/10/2020	,		is by boat until the river recedes below ~41ft.
Sloughs WMA 1/27/2020	7,783 ducks 310 CA geese 4,600 WF geese 9,300 snows 14 Tundra swans	92% Mallard, 8% GW teal, Widgeon, Black Ducks and Pintail.	Birds were active most of the day with a low ceiling and heavy cloud cover. Habitat on Sloughs is good with Pond Creek Marsh elevated making food readily available. During our survey period, birds were seen over much of
			the area and observed

			in multiple different habitat types. WF
			Geese and Snow geese
			continue to trade back
			and forth in the area,
			feeding on waste grain
			in adjacent fields with
			an abundance of each
			using the area at any
			given time. River Stages
			have receded from
			previous flood
			conditions and remain
			stable. As of Monday,
			roads were open
			leading to Grassy
			Pond/Powell's Lake and
			Highland Creek Units. Happy hunting.
Peabody WMA	not surveyed		All moist soil units are
reabody wiviA	not surveyed		full of water.
Yellowbank WMA	1225 Ducks	80% Mallard,	Tail of Water.
	30 CA geese	5% Gadwall, 5% Black Duck,	
1/28/2020	<b>.</b>	5% Pintail, 5% Other	
Barren River Lake WMA	105 ducks	80% mallards, shoveler,	Lake is at 559.3' (+31.5')
	0 CA geese	wood ducks, 20% scaup and	Moist Soil units frozen
1/22/2020		redhead	
Blue Grass Army Depot	not surveyed		
(all lakes and ponds)			
Herrington Lake	not surveyed		
Green River Lake	not surveyed		
Cave Run Lake	280+ ducks	2 mallard and 2 gadwall, 40	Lake level is 730.2,
		bufflehead, 30 ruddy ducks,	Outflow – 4,126 at 6
1/27/2020		8 Scaup. 200+ rafts on the	a.m.
		flats consisting of	
		Canvasback, Ruddy, Mallard,	
		Bufflehead, and Gadwall, all	
		intermixed.	

#### January 17, 2020 Kentucky Waterfowl Ground Counts

This is the ground count survey for January 13-17, 2020. There is still an abundance of water on the landscape, and many areas could not survey because of flooding. Lakes and reservoirs are still above summer pool. Most rivers are swollen if not already out of their banks. Ballard WMA closed on Saturday, 1/4, and will remain closed until it is safe for hunters to access. We will advertise details or on the department webpage, the Ballard WMA Facebook page, and the KDFWR main Facebook page. Hunters may also call the Ballard Waterfowl Hotline, 270-224-2244 ext. 1 to get updates. Doug Travis and Boatwright WMA's have roads effected by backwater, so be careful trying to access these WMA's and be aware of the rules that apply during floodwater conditions. See the waterfowl guide online for more info, available on our website.

Habitat across the state is still holding on strong. There was ample moist soil vegetation on most areas and hunt units going into the season, and most of these are still full of food.

Location	Number	Species Composition	Comments
Ballard	not surveyed due to floods		Due to water being over roads at Boatwright and Ballard, we did not do a
1/10/2020			count today.
Boatwright 1/10/2020	not surveyed due to floods		Due to water being over roads at Boatwright and
1/10/2020			Ballard, we did not do a count today
Duck Island	not surveyed		
Doug Travis WMA 1/10/2020	not surveyed due to floods		No survey this week due to high water. All access is by boat until the river
Sloughs WMA 1/13/2020	4,450 ducks 120 CA geese 4,775 WF geese 0 snow geese 0 Tundra swans	92% Mallard, 5% Gadwall, 3% teal, Widgeon, Black Ducks and Ring Necks	recedes below ~41ft.  Birds were not active during the survey, with most birds observed in thick flooded buttonbush and standing timber. Rain is predicted with lower
			in the upper teens at night starting this weekend through Monday. Habitat is still

			la altina como ana altituda
			looking very good with
			Pond Creek Marsh
			elevated making food
			readily available. White
			Fronted Geese and
			Snow geese continue to
			trade back and forth in
			the area feeding on
			waste grain and
			adjacent fields with an
			abundance of each
			using the area at any
			given time. River Stages
			are elevated in the
			bottoms with current
			readings on the
			Evansville gauge at
			approximately 31 feet.
			Happy hunting.
Peabody WMA	793 ducks	75% Mallards, 25% gadwall	All moist soil units are
	177 Canada geese	& ring-necked ducks.	full of water.
	2 Swans		
12/19/2019			
Yellowbank WMA	700 Ducks	75% Mallard, 10% gadwall	All units are at
		and 5% black duck, 10%	maximum capacity.
1/14/2020		other	
Barren River Lake WMA	350 ducks	80% mallards, shoveler,	Lake is at 561.7' (+33.7')
	105 CA geese	wood ducks, 20% scaup and	Hundreds of mallards
1/15/2020		redhead	and a few wood ducks
			at Long Creek MSUs.
			Mallards, shovelers,
			divers on the main lake
			in small to medium size
			rafts, in big open water
			near Masons Island.
			Probably thousands of
			ducks in the flooded
			crop fields/weedy
			fields/flooded timber,
			now that the lake is 10'
Divo Cross Arms Days st	not cum count		over summer pool.
Blue Grass Army Depot	not surveyed		
(all lakes and ponds)			
Herrington Lake	not surveyed		
Cupon Diversitation	1		Cross Divers Labata Lavalla
Green River Lake	Low numbers		Green River Lake level is
	being seen,		currently 24 feet above

	1		1
	though finding		summer pool and is
1/6/2020	them is difficult		expected to rise with
	with all the		predicted rain starting
	flooded habitat		Friday. Most blind sites
	available.		in the bottoms are
			already under water, as
			are the sites on the lake.
			There are not many
			options for launching a
			boat as most boat
			ramps are closed due to
			flooding.
Cave Run Lake	50 ducks	20 bufflehead, 10 ruddy	Lake level is 737,
		ducks, 20 unknown species	Outflow – 2699 at 6
1/2/2020	50 CA goose		a.m. Lake levels made
			access to usual survey
			viewing locations not
			possible.

#### January 17, 2020 Kentucky Waterfowl Ground Counts

This is the ground count survey for January 21-24, 2020. The week started with temps that stayed below freezing for a few days, but is ending with more rain and mild temps. There have been individual reports of hunter success through the week, but these have been scattered and localized. Likewise, there are reports of large concentrations of waterfowl that are not captured on this survey, as most of the WMA's along the lower Ohio and Mississippi rivers are still underwater. Lake levels continue to remain high; many remain well above normal levels. There is an abundance of backwater habitat also still present.

Ballard WMA closed on Saturday, 1/4, and will remain closed until it is safe for hunters to access. We will advertise details or on the department webpage, the Ballard WMA Facebook page, and the KDFWR main Facebook page. Hunters may also call the Ballard Waterfowl Hotline, 270-224-2244 ext. 1 to get updates. Doug Travis and Boatwright WMA's have roads effected by backwater, so be careful trying to access these WMA's and be aware of the rules that apply during floodwater conditions. See the waterfowl guide online for more info, available on our website.

Habitat across the state is still holding on strong. There was ample moist soil vegetation on most areas and hunt units going into the season, and most of these are still full of food.

Location	Number	Species Composition	Comments
Ballard	not surveyed due		Due to water being over
	to floods		roads at Boatwright and Ballard, we did not do a
1/10/2020			count today.
Boatwright	not surveyed due		Due to water being over
	to floods		roads at Boatwright and
1/10/2020			Ballard, we did not do a
			count today
Duck Island	not surveyed		
Doug Travis WMA	not surveyed due		No survey this week due
	to floods		to high water. All access
1/10/2020			is by boat until the river
			recedes below ~41ft.
Sloughs WMA	10,050 ducks	92% Mallard, 8% GW teal,	Birds were active most
	262 CA geese	Widgeon, Black Ducks and	of the day with a low
	6,845 WF geese	Pintail.	ceiling and heavy cloud
1/22/2020	75 snow geese		cover. A cold weather
	5 Tundra swans		front is pushing through
	3 Tariara Swaris		the region with lows
			expected in the upper
			teens to lower 20's.

			Habitat an Charles in
			Habitat on Sloughs is
			good with Pond Creek
			Marsh elevated making
			food readily available.
			During our survey
			period, birds were seen
			in pockets of open
			water with ice covering
			over 75% of the area.
			White Fronted Geese
			and Snow geese
			continue to trade back
			and forth in the area
			feeding on waste grain
			and adjacent fields with
			an abundance of each
			using the area at any
			given time. River Stages
			have receded from
			previous flood
			conditions and stable.
			As of Monday, roads
			were open leading to
			Grassy Pond/Powell's
			Lake and Highland Creek
			Units. Happy hunting.
Peabody WMA	not surveyed		All moist soil units are
l cascay www.	not surveyed		full of water.
Yellowbank WMA	925 Ducks	75% Mallard, 10% gadwall	90 percent of units still
Tellowballk WIVIA	30 CA geese	and 5% black duck, 5%	have ice but are
1/23/2020	30 CA gcc3c	pintail and 5% other	melting. Several groups
1/23/2020		pintan and 5% other	
			of ducks are using small
Daman Diversity Laborate	405 d d	000/ madlands sheets	creeks off the river.
Barren River Lake WMA	105 ducks	80% mallards, shoveler,	Lake is at 559.3' (+31.5')
	0 CA geese	wood ducks, 20% scaup and	Moist Soil units frozen
1/22/2020		redhead	
Blue Grass Army Depot	not surveyed		
(all lakes and ponds)			
Herrington Lake	not surveyed		
Green River Lake	Low numbers		Green River Lake level is
	being seen,		currently 24 feet above
	though finding		summer pool and is
1/6/2020	them is difficult		expected to rise with
, -,	with all the		predicted rain starting
	flooded habitat		Friday. Most blind sites
	available.		in the bottoms are
	avallable.		in the bottoms are

			already under water, as
			are the sites on the lake.
			There are not many
			options for launching a
			boat as most boat
			ramps are closed due to
			flooding.
Cave Run Lake	279 ducks/coots	200+ Large group rafted up	Lake level is 735.4,
		consisting of mainly	Outflow – 4,276 at 6
1/17/2020	10 CA goose	Canvasback, with Ruddy	a.m. Lake levels made it
		Duck, Ringneck, Scaup, and	to survey. The mallards
		Coot. 40-Mallard, 15-Ruddy	all came out of flooded
		ducks, 7-Bufflehead, and 2-	timber. My assumption
		gadwall.	is that there is more
			around the lake with
			this cool weather front.